

ALDH1L2 Antibody (C-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP11288b

Specification

ALDH1L2 Antibody (C-term) - Product Information

Application Primary Accession Other Accession Reactivity Predicted Host Clonality Isotype Antigen Region WB, IHC-P,E <u>O3SY69</u> <u>O8K009</u>, <u>O6GNL7</u>, <u>NP_001029345.1</u> Mouse, Rat Xenopus Rabbit Polyclonal Rabbit IgG 743-772

ALDH1L2 Antibody (C-term) - Additional Information

Gene ID 160428

Other Names

Mitochondrial 10-formyltetrahydrofolate dehydrogenase, Mitochondrial 10-FTHFDH, mtFDH, Aldehyde dehydrogenase family 1 member L2, ALDH1L2

Target/Specificity

This ALDH1L2 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 743-772 amino acids from the C-terminal region of human ALDH1L2.

Dilution WB~~1:2000 IHC-P~~1:50~100

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

ALDH1L2 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

ALDH1L2 Antibody (C-term) - Protein Information

Name ALDH1L2 {ECO:0000303|PubMed:21238436, ECO:0000312|HGNC:HGNC:26777}



Function Mitochondrial 10-formyltetrahydrofolate dehydrogenase that catalyzes the NADP(+)-dependent conversion of 10-formyltetrahydrofolate to tetrahydrofolate and carbon dioxide.

Cellular Location Mitochondrion.

Tissue Location


Highly expressed in pancreas, heart, brain and skeletal muscle.

ALDH1L2 Antibody (C-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

ALDH1L2 Antibody (C-term) - Images



All lanes : Anti-ALDH1L2 Antibody (C-term) at 1:2000 dilution Lane 1: Mouse pancreas whole cell lysate Lane 2: NIH/3T3 whole cell lysate Lane 3: Rat liver whole lysate Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 102 kDa Blocking/Dilution buffer: 5% NFDM/TBST.





ALDH1L2 Antibody (C-term) (Cat. #AP11288b)immunohistochemistry analysis in formalin fixed and paraffin embedded mouse heart tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of ALDH1L2 Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.