10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

FBXO47 Antibody (N-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP11336a

Specification

FBXO47 Antibody (N-term) - Product Information

Application	**IHC-P, WB,E**
Primary Accession	Q5MNV8
Other Accession	A2A6H3
Reactivity	**Human, Mouse**
Host	**Rabbit**
Clonality	**Polyclonal**
Isotype	**Rabbit IgG**
Antigen Region	**114-143**

FBXO47 Antibody (N-term) - Additional Information

Gene ID 494188

Other Names
F-box only protein 47, FBXO47

Target/Specificity
This FBXO47 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 114-143 amino acids from the N-terminal region of human FBXO47.

Dilution
IHC-P~~1:50~100
WB~~1:1000

Format
Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage
Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions
FBXO47 Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

FBXO47 Antibody (N-term) - Protein Information

Name FBXO47 {ECO:0000303|PubMed:28397838, ECO:0000312|HGNC:HGNC:31969}

Function Probably recognizes and binds to some phosphorylated proteins and promotes their ubiquitination and degradation.


Tissue Location
Widely expressed, with highest levels in kidney, liver and pancreas. Down-regulated in tumors

FBXO47 Antibody (N-term) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

FBXO47 Antibody (N-term) - Images



FBXO47 Antibody (N-term) (Cat. #AP11336a)immunohistochemistry analysis in formalin fixed and paraffin embedded human liver tissue followed by peroxidase conjugation of the secondary antibody and DAB staining.This data demonstrates the use of FBXO47 Antibody (N-term) for immunohistochemistry. Clinical relevance has not been evaluated.



FBXO47 Antibody (N-term) (Cat. #AP11336a) western blot analysis in mouse kidney tissue lysates (35ug/lane).This demonstrates the FBXO47 antibody detected the FBXO47 protein (arrow).

FBXO47 Antibody (N-term) - Background

Probably recognizes and binds to some phosphorylated proteins and promotes their ubiquitination and degradation (By similarity).

FBXO47 Antibody (N-term) - References

Simon-Kayser, B., et al. Genes Chromosomes Cancer 43(1):83-94(2005)