

C9JLR9 Antibody (C-term)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP11349b**Specification**

C9JLR9 Antibody (C-term) - Product Information

Application	IF, WB, IHC-P,E
Primary Accession	C9JLR9
Other Accession	O4VA45 , NP_001138408.1
Reactivity	Human
Predicted	Mouse
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	73197
Antigen Region	556-584

C9JLR9 Antibody (C-term) - Additional Information**Gene ID** 65998**Other Names**

Uncharacterized protein C11orf95, C11orf95

Target/Specificity

This C9JLR9 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 556-584 amino acids from the C-terminal region of human C9JLR9.

Dilution

IF~~1:10~50

WB~~1:1000

IHC-P~~1:50~100

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

C9JLR9 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

C9JLR9 Antibody (C-term) - Protein Information**Name** ZFTA ([HGNC:28449](#))


Synonyms C11orf95

C9JLR9 Antibody (C-term) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

C9JLR9 Antibody (C-term) - Images




Confocal immunofluorescent analysis of C9JLR9 Antibody (C-term)(Cat#AP11349b) with HepG2 cell followed by Alexa Fluor 488-conjugated goat anti-rabbit IgG (green). Actin filaments have been labeled with Alexa Fluor 555 phalloidin (red). DAPI was used to stain the cell nuclear (blue).



C9JLR9 Antibody (C-term) (Cat. #AP11349b) western blot analysis in HepG2 cell line lysates

(35ug/lane). This demonstrates the C9JLR9 antibody detected the C9JLR9 protein (arrow).



C9JLR9 Antibody (C-term) (Cat. #AP11349b) immunohistochemistry analysis in formalin fixed and paraffin embedded human adipose tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of C9JLR9 Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.

C9JLR9 Antibody (C-term) - References

Ota, T., et al. Nat. Genet. 36(1):40-45(2004)