10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

CCDC97 Antibody (C-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP11354b

Specification

CCDC97 Antibody (C-term) - Product Information

Application	**WB, IHC-P,E**
Primary Accession	Q96F63
Other Accession	NP_443080.1
Reactivity	**Human**
Host	**Rabbit**
Clonality	**Polyclonal**
Isotype	**Rabbit IgG**
Calculated MW	**38947**
Antigen Region	**241-269**

CCDC97 Antibody (C-term) - Additional Information

Gene ID 90324

Other Names
Coiled-coil domain-containing protein 97, CCDC97

Target/Specificity
This CCDC97 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 241-269 amino acids from the C-terminal region of human CCDC97.

Dilution
WB~~1:1000
IHC-P~~1:10~50

Format
Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage
Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions
CCDC97 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

CCDC97 Antibody (C-term) - Protein Information

Name CCDC97

Function May play a role pre-mRNA splicing through the association with the splicing factor SF3B

complex which is involved in branch-site recognition.


Cellular Location
Nucleus.

CCDC97 Antibody (C-term) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

CCDC97 Antibody (C-term) - Images



CCDC97 Antibody (C-term) (Cat. #AP11354b) western blot analysis in Y79 cell line lysates (35ug/lane).This demonstrates the CCDC97 antibody detected the CCDC97 protein (arrow).



CCDC97 Antibody (C-term) (Cat. #AP11354b)immunohistochemistry analysis in formalin fixed and paraffin embedded human esophageal carcinoma followed by peroxidase conjugation of the secondary antibody and DAB staining.This data demonstrates the use of CCDC97 Antibody

10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

(C-term) for immunohistochemistry. Clinical relevance has not been evaluated.

CCDC97 Antibody (C-term) - References

Guey, L.T., et al. Eur. Urol. 57(2):283-292(2010)
Olsen, J.V., et al. Cell 127(3):635-648(2006)