

**CCDC15 Antibody (C-term)**  
**Affinity Purified Rabbit Polyclonal Antibody (Pab)**  
**Catalog # AP11473b****Specification**

---

**CCDC15 Antibody (C-term) - Product Information**

|                   |                             |
|-------------------|-----------------------------|
| Application       | WB,E                        |
| Primary Accession | <a href="#">Q0P6D6</a>      |
| Other Accession   | <a href="#">NP_079280.2</a> |
| Reactivity        | Human                       |
| Host              | Rabbit                      |
| Clonality         | Polyclonal                  |
| Isotype           | Rabbit IgG                  |
| Calculated MW     | 110484                      |
| Antigen Region    | 688-716                     |

**CCDC15 Antibody (C-term) - Additional Information****Gene ID** 80071**Other Names**

Coiled-coil domain-containing protein 15, CCDC15

**Target/Specificity**

This CCDC15 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 688-716 amino acids from the C-terminal region of human CCDC15.

**Dilution**

WB~~1:1000

**Format**

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

**Storage**

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

**Precautions**

CCDC15 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.


**CCDC15 Antibody (C-term) - Protein Information****Name** CCDC15

## CCDC15 Antibody (C-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

## CCDC15 Antibody (C-term) - Images



CCDC15 Antibody (C-term) (Cat. #AP11473b) western blot analysis in HepG2 cell line lysates (35ug/lane). This demonstrates the CCDC15 antibody detected the CCDC15 protein (arrow).

## CCDC15 Antibody (C-term) - References

Rose, J.E., et al. Mol. Med. 16 (7-8), 247-253 (2010) :