10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

ZNF28 Antibody (N-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP11536a

Specification

ZNF28 Antibody (N-term) - Product Information

Application	**WB, FC,E**
Primary Accession	P17035
Other Accession	NP_008900.3
Reactivity	**Human**
Host	**Rabbit**
Clonality	**Polyclonal**
Isotype	**Rabbit IgG**
Calculated MW	**83658**
Antigen Region	**87-115**

ZNF28 Antibody (N-term) - Additional Information

Gene ID 7576

Other Names
Zinc finger protein 28, Zinc finger protein KOX24, ZNF28, KOX24

Target/Specificity
This ZNF28 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 87-115 amino acids from the N-terminal region of human ZNF28.

Dilution
WB~~1:1000
FC~~1:10~50

Format
Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage
Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions
ZNF28 Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

ZNF28 Antibody (N-term) - Protein Information

Name ZNF28

Synonyms KOX24

10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

Function May be involved in transcriptional regulation.


Cellular Location
Nucleus.

ZNF28 Antibody (N-term) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

ZNF28 Antibody (N-term) - Images



ZNF28 Antibody (N-term) (Cat. #AP11536a) western blot analysis in NCI-H460 cell line lysates (35ug/lane).This demonstrates the ZNF28 antibody detected the ZNF28 protein (arrow).



ZNF28 Antibody (N-term) (Cat. #AP11536a) flow cytometric analysis of NCI-H460 cells (right

histogram) compared to a negative control cell (left histogram).FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

ZNF28 Antibody (N-term) - Background

May be involved in transcriptional regulation.

ZNF28 Antibody (N-term) - References

Rousseau-Merck, M.F., et al. Hum. Genet. 92(6):583-587(1993)
Thiesen, H.J. New Biol. 2(4):363-374(1990)