

### OCT3/4 Antibody (C279)

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP11546a

## **Specification**

### OCT3/4 Antibody (C279) - Product Information

Application WB, IHC-P,E Primary Accession Q01860

Other Accession <u>Q06416</u>, <u>NP 002692.2</u>

Reactivity
Host
Clonality
Polyclonal
Isotype
Calculated MW
Antigen Region

Human
Rabbit
Polyclonal
Rabbit IgG
265-297

### OCT3/4 Antibody (C279) - Additional Information

#### **Gene ID 5460**

### **Other Names**

POU domain, class 5, transcription factor 1, Octamer-binding protein 3, Oct-3, Octamer-binding protein 4, Oct-4, Octamer-binding transcription factor 3, OTF-3, POU5F1, OCT3, OCT4, OTF3

### Target/Specificity

This OCT3/4 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 265-297 amino acids from human OCT3/4.

### **Dilution**

WB~~1:1000 IHC-P~~1:50~100

#### **Format**

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is prepared by Saturated Ammonium Sulfate (SAS) precipitation followed by dialysis against PBS.

#### Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

#### **Precautions**

OCT3/4 Antibody (C279) is for research use only and not for use in diagnostic or therapeutic procedures.

## OCT3/4 Antibody (C279) - Protein Information

#### Name POU5F1



## Synonyms OCT3, OCT4, OTF3

**Function** Transcription factor that binds to the octamer motif (5'- ATTTGCAT-3'). Forms a trimeric complex with SOX2 or SOX15 on DNA and controls the expression of a number of genes involved in embryonic development such as YES1, FGF4, UTF1 and ZFP206. Critical for early embryogenesis and for embryonic stem cell pluripotency.

### **Cellular Location**

Cytoplasm. Nucleus. Note=Expressed in a diffuse and slightly punctuate pattern. Colocalizes with MAPK8 and MAPK9 in the nucleus. {ECO:0000250|UniProtKB:P20263, ECO:0000269|PubMed:18191611, ECO:0000269|PubMed:19274063,

# ECO:0000269|PubMed:23024368}

#### **Tissue Location**


Expressed in developing brain. Highest levels found in specific cell layers of the cortex, the olfactory bulb, the hippocampus and the cerebellum. Low levels of expression in adult tissues.

### OCT3/4 Antibody (C279) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

## OCT3/4 Antibody (C279) - Images



OCT3/4 Antibody (C279) (Cat. #AP11546a) western blot analysis in MDA-MB231 cell line lysates (35ug/lane). This demonstrates the OCT3/4 antibody detected the OCT3/4 protein (arrow).





OCT3/4 Antibody (C279) (Cat. #AP11546a)immunohistochemistry analysis in formalin fixed and paraffin embedded human brain tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of OCT3/4 Antibody (C279) for immunohistochemistry. Clinical relevance has not been evaluated.

## OCT3/4 Antibody (C279) - Background

This gene encodes a transcription factor containing a POU homeodomain. This transcription factor plays a role in embryonic development, especially during early embryogenesis, and it is necessary for embryonic stem cell pluripotency. A translocation of this gene with the Ewing's sarcoma gene, t(6;22)(p21;q12), has been linked to tumor formation. Alternative splicing, as well as usage of alternative translation initiation codons, results in multiple isoforms, one of which initiates at a non-AUG (CUG) start codon. Related pseudogenes have been identified on chromosomes 1, 3, 8, 10, and 12.

## OCT3/4 Antibody (C279) - References

Abu-Remaileh, M., et al. EMBO J. 29(19):3236-3248(2010) Ucisik-Akkaya, E., et al. Mol. Hum. Reprod. 16(10):770-777(2010) Schultz, S.S., et al. Mol. Cell. Biol. 30(18):4521-4534(2010) Kim, S., et al. Br. J. Cancer 102(2):436-446(2010) Wang, X., et al. Stem Cells 27(6):1265-1275(2009)