

XKR4 Antibody (C-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP11606b

Specification

XKR4 Antibody (C-term) - Product Information

Application Primary Accession Other Accession Reactivity Predicted Host Clonality Isotype Calculated MW Antigen Region IF, WB, IHC-P,E <u>O5GH76</u> <u>O5GH59</u>, <u>O5GH67</u>, <u>NP_443130.1</u> Human Mouse, Rat Rabbit Polyclonal Rabbit IgG 71501 570-598

XKR4 Antibody (C-term) - Additional Information

Gene ID 114786

Other Names XK-related protein 4, XKR4, KIAA1889, XRG4

Target/Specificity

This XKR4 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 570-598 amino acids from the C-terminal region of human XKR4.

Dilution IF~~1:10~50 WB~~1:1000 IHC-P~~1:10~50

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

XKR4 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

XKR4 Antibody (C-term) - Protein Information

Name XKR4 {ECO:0000303|PubMed:25231987, ECO:0000312|HGNC:HGNC:29394}



Function [XK-related protein 4, processed form]: Phospholipid scramblase that promotes phosphatidylserine exposure on apoptotic cell surface (PubMed:<u>25231987</u>, PubMed:<u>33725486</u>). Phosphatidylserine is a specific marker only present at the surface of apoptotic cells and acts as a specific signal for engulfment (PubMed:<u>25231987</u>, PubMed:<u>33725486</u>).

Cellular Location Cell membrane {ECO:0000250|UniProtKB:Q5GH67}; Multi-pass membrane protein

XKR4 Antibody (C-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

XKR4 Antibody (C-term) - Images



Confocal immunofluorescent analysis of XKR4 Antibody (C-term)(Cat#AP11606b) with 293 cell followed by Alexa Fluor 488-conjugated goat anti-rabbit IgG (green). DAPI was used to stain the cell nuclear (blue).





XKR4 Antibody (C-term) (Cat. #AP11606b) western blot analysis in 293 cell line lysates (35ug/lane).This demonstrates the XKR4 antibody detected the XKR4 protein (arrow).



XKR4 Antibody (C-term) (Cat. #AP11606b)immunohistochemistry analysis in formalin fixed and paraffin embedded human brain tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of XKR4 Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.

XKR4 Antibody (C-term) - Background

The specific function of the protein remains unknown.

XKR4 Antibody (C-term) - References

Rose, J.E., et al. Mol. Med. 16 (7-8), 247-253 (2010) : Lavedan, C., et al. Mol. Psychiatry 14(8):804-819(2009) Volpi, S., et al. J Clin Psychiatry 70(6):801-809(2009) Sugiyama, N., et al. Mol. Cell Proteomics 6(6):1103-1109(2007)