

CCDC110 Antibody (C-term)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP11757b**Specification**

CCDC110 Antibody (C-term) - Product Information

Application	WB, IHC-P,E
Primary Accession	Q8TBZ0
Other Accession	NP_001138883.1 , NP_689988.1
Reactivity	Mouse
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	96726
Antigen Region	777-806

CCDC110 Antibody (C-term) - Additional Information**Gene ID** 256309**Other Names**

Coiled-coil domain-containing protein 110, Cancer/testis antigen 52, CT52, Cancer/testis antigen KM-HN-1, CCDC110, KMHN1

Target/Specificity

This CCDC110 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 777-806 amino acids from the C-terminal region of human CCDC110.

Dilution

WB~~1:1000
IHC-P~~1:10~50

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

CCDC110 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

CCDC110 Antibody (C-term) - Protein Information**Name** CCDC110

Synonyms KMHN1**Cellular Location**

Nucleus.


Tissue Location

Expressed specifically in testis. Also expressed in tumors of different origins.


CCDC110 Antibody (C-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

CCDC110 Antibody (C-term) - Images

CCDC110 Antibody (C-term) (Cat. #AP11757b) western blot analysis in mouse heart tissue lysates (35ug/lane). This demonstrates the CCDC110 antibody detected the CCDC110 protein (arrow).



CCDC110 Antibody (C-term) (Cat. #AP11757b) immunohistochemistry analysis in formalin fixed and paraffin embedded human testis carcinoma followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of CCDC110 Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.

CCDC110 Antibody (C-term) - References

Monji, M., et al. Clin. Cancer Res. 10 (18 PT 1), 6047-6057 (2004) :