

ANKRD18B Antibody (N-term)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP11824a**Specification**

ANKRD18B Antibody (N-term) - Product Information

Application	WB, IHC-P,E
Primary Accession	A2A2Z9
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	118231
Antigen Region	274-302

ANKRD18B Antibody (N-term) - Additional Information**Other Names**

Ankyrin repeat domain-containing protein 18B, ANKRD18B

Target/Specificity

This ANKRD18B antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 274-302 amino acids from the N-terminal region of human ANKRD18B.

Dilution

WB~~1:1000
IHC-P~~1:10~50

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

ANKRD18B Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

ANKRD18B Antibody (N-term) - Protein Information


Name ANKRD18B

ANKRD18B Antibody (N-term) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ANKRD18B Antibody (N-term) - Images



ANKRD18B Antibody (N-term) (Cat. #AP11824a) western blot analysis in K562 cell line lysates (35ug/lane). This demonstrates the ANKRD18B antibody detected the ANKRD18B protein (arrow).



ANKRD18B Antibody (N-term) (Cat. #AP11824a) immunohistochemistry analysis in formalin fixed and paraffin embedded human liver tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of ANKRD18B Antibody (N-term) for immunohistochemistry. Clinical relevance has not been evaluated.