

RNF215 Antibody (C-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP11895b

Specification

RNF215 Antibody (C-term) - Product Information

Application WB, IHC-P,E Primary Accession Q9Y6U7

Other Accession
Reactivity
Human, Mouse
Host
Clonality
Isotype
Rabbit IgG

Calculated MW 41101 Antigen Region 266-295

RNF215 Antibody (C-term) - Additional Information

Gene ID 200312

Other Names

RING finger protein 215, RNF215

Target/Specificity

This RNF215 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 266-295 amino acids from the C-terminal region of human RNF215.

Dilution

WB~~1:1000 IHC-P~~1:10~50

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

RNF215 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

RNF215 Antibody (C-term) - Protein Information

Name RNF215

Cellular Location




Membrane; Multi-pass membrane protein

RNF215 Antibody (C-term) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

RNF215 Antibody (C-term) - Images




RNF215 Antibody (C-term) (Cat. #AP11895b) western blot analysis in mouse lung tissue lysates (35ug/lane). This demonstrates the RNF215 antibody detected the RNF215 protein (arrow).



RNF215 Antibody (C-term) (Cat. #AP11895b) western blot analysis in HepG2 cell line lysates (35ug/lane). This demonstrates the RNF215 antibody detected the RNF215 protein (arrow).





RNF215 Antibody (C-term) (Cat. #AP11895b)immunohistochemistry analysis in formalin fixed and paraffin embedded human prostate carcinoma tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of RNF215 Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.

RNF215 Antibody (C-term) - Background

The function of this protein remains unknown.

RNF215 Antibody (C-term) - References

.Genome Res. 8(11):1097-1108(1998)