

**C20orf201 Antibody (C-term)**  
**Affinity Purified Rabbit Polyclonal Antibody (Pab)**  
**Catalog # AP12128B**

**Specification**

---

**C20orf201 Antibody (C-term) - Product Information**

|                   |                                |
|-------------------|--------------------------------|
| Application       | IF, WB, IHC-P, FC,E            |
| Primary Accession | <a href="#">Q8TD35</a>         |
| Other Accession   | <a href="#">NP_001007126.1</a> |
| Reactivity        | Human                          |
| Host              | Rabbit                         |
| Clonality         | Polyclonal                     |
| Isotype           | Rabbit IgG                     |
| Antigen Region    | 148-176                        |

**C20orf201 Antibody (C-term) - Additional Information**

**Gene ID** 198437

**Other Names**

Protein LKAAEAR1, LKAAEAR motif-containing protein 1, LKAAEAR1, C20orf201

**Target/Specificity**

This C20orf201 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 148-176 amino acids from the C-terminal region of human C20orf201.

**Dilution**

IF~~1:10~50  
WB~~1:1000  
IHC-P~~1:10~50  
FC~~1:10~50

**Format**

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

**Storage**

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

**Precautions**

C20orf201 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.


**C20orf201 Antibody (C-term) - Protein Information**

**Name** LKAAEAR1


**Synonyms** C20orf201**C20orf201 Antibody (C-term) - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


**C20orf201 Antibody (C-term) - Images**

Confocal immunofluorescent analysis of C20orf201 Antibody (C-term)(Cat#AP12128b) with MCF-7 cell followed by Alexa Fluor 488-conjugated goat anti-rabbit IgG (green).DAPI was used to stain the cell nuclear (blue).




C20orf201 Antibody (C-term) (Cat. #AP12128b) western blot analysis in MCF-7 cell line lysates

(35ug/lane). This demonstrates the C20orf201 antibody detected the C20orf201 protein (arrow).



C20orf201 Antibody (C-term) (Cat. #AP12128b) immunohistochemistry analysis in formalin fixed and paraffin embedded human brain tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of C20orf201 Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.



C20orf201 Antibody (C-term) (Cat. #AP12128b) flow cytometric analysis of MCF-7 cells (right histogram) compared to a negative control cell (left histogram). FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

#### **C20orf201 Antibody (C-term) - References**

Strausberg, R.L., et al. Proc. Natl. Acad. Sci. U.S.A. 99(26):16899-16903(2002)