

MORN5 Antibody (C-term)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP12205b**Specification**

MORN5 Antibody (C-term) - Product Information

Application	WB, IHC-P,E
Primary Accession	Q5VZ52
Other Accession	NP_940871.2
Reactivity	Mouse
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	18731
Antigen Region	93-122

MORN5 Antibody (C-term) - Additional Information**Gene ID** 254956**Other Names**

MORN repeat-containing protein 5, MORN5, C9orf113, C9orf18

Target/Specificity

This MORN5 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 93-122 amino acids from the C-terminal region of human MORN5.

Dilution

WB~~1:1000

IHC-P~~1:10~50

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

MORN5 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

MORN5 Antibody (C-term) - Protein Information**Name** MORN5**Synonyms** C9orf113, C9orf18

Cellular Location

Cell projection, cilium, flagellum {ECO:0000250|UniProtKB:Q9DAI9}


Tissue Location

Expressed in sperm (at protein level).


MORN5 Antibody (C-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

MORN5 Antibody (C-term) - Images

MORN5 Antibody (C-term) (Cat. #AP12205b) western blot analysis in mouse kidney tissue lysates (35ug/lane). This demonstrates the MORN5 antibody detected the MORN5 protein (arrow).



MORN5 Antibody (C-term) (Cat. #AP12205b) immunohistochemistry analysis in formalin fixed and paraffin embedded human stomach tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of MORN5 Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.

MORN5 Antibody (C-term) - References

Letra, A., et al. Am. J. Med. Genet. A 152A (7), 1701-1710 (2010) :