10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

EEF1A2 Antibody (C-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP12557b

Specification

EEF1A2 Antibody (C-term) - Product Information

Application	**WB, IHC-P,E**
Primary Accession	Q05639
Other Accession	P62632, Q71V39, P62631, Q32PH8, NP_001949.1
Reactivity	**Mouse**
Predicted	**Bovine, Rabbit, Rat**
Host	**Rabbit**
Clonality	**Polyclonal**
Isotype	**Rabbit IgG**
Calculated MW	**50470**
Antigen Region	**366-395**

EEF1A2 Antibody (C-term) - Additional Information

Gene ID 1917

Other Names
Elongation factor 1-alpha 2, EF-1-alpha-2, Eukaryotic elongation factor 1 A-2, eEF1A-2, Statin-S1, EEF1A2, EEF1AL, STN

Target/Specificity
This EEF1A2 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 366-395 amino acids from the C-terminal region of human EEF1A2.

Dilution
WB~~1:1000
IHC-P~~1:10~50

Format
Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage
Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions
EEF1A2 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

EEF1A2 Antibody (C-term) - Protein Information

Name EEF1A2

Synonyms EEF1AL, STN

Function This protein promotes the GTP-dependent binding of aminoacyl- tRNA to the A-site of ribosomes during protein biosynthesis.

Cellular Location
Nucleus.


Tissue Location
Brain, heart, and skeletal muscle.

EEF1A2 Antibody (C-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

EEF1A2 Antibody (C-term) - Images



EEF1A2 Antibody (C-term) (Cat. #AP12557b) western blot analysis in mouse liver tissue lysates (35ug/lane).This demonstrates the EEF1A2 antibody detected the EEF1A2 protein (arrow).

10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999



EEF1A2 Antibody (C-term) (Cat. #AP12557b)immunohistochemistry analysis in formalin fixed and paraffin embedded human brain tissue followed by peroxidase conjugation of the secondary antibody and DAB staining.This data demonstrates the use of EEF1A2 Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.

EEF1A2 Antibody (C-term) - Background

This gene encodes an isoform of the alpha subunit of the elongation factor-1 complex, which is responsible for the enzymatic delivery of aminoacyl tRNAs to the ribosome. This isoform (alpha 2) is expressed in brain, heart and skeletal muscle, and the other isoform (alpha 1) is expressed in brain, placenta, lung, liver, kidney, and pancreas. This gene may be critical in the development of ovarian cancer. Alternatively spliced transcript variants encoding different isoforms have been found for this gene.

EEF1A2 Antibody (C-term) - References

Zhang, Y., et al. J. Int. Med. Res. 38(3):1042-1048(2010)
Li, Z., et al. PLoS ONE 5 (5), E10755 (2010) :
Yanaka, N., et al. Biosci. Biotechnol. Biochem. 73(12):2809-2811(2009)
Lee, M.H., et al. Ann. N. Y. Acad. Sci. 1171, 87-93 (2009) :
Soares, D.C., et al. PLoS ONE 4 (7), E6315 (2009) :