

ATP1B3 Antibody (C-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP12745b

Specification

ATP1B3 Antibody (C-term) - Product Information

Application WB, IHC-P,E **Primary Accession** P54709 Other Accession NP 001670.1 Reactivity Human Host **Rabbit** Clonality **Polyclonal** Isotype Rabbit IgG Calculated MW 31513 Antigen Region 241-270

ATP1B3 Antibody (C-term) - Additional Information

Gene ID 483

Other Names

Sodium/potassium-transporting ATPase subunit beta-3, Sodium/potassium-dependent ATPase subunit beta-3, ATPB-3, CD298, ATP1B3

Target/Specificity

This ATP1B3 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 241-270 amino acids from the C-terminal region of human ATP1B3.

Dilution

WB~~1:1000 IHC-P~~1:10~50

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

ATP1B3 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

ATP1B3 Antibody (C-term) - Protein Information

Name ATP1B3





Function This is the non-catalytic component of the active enzyme, which catalyzes the hydrolysis of ATP coupled with the exchange of Na(+) and K(+) ions across the plasma membrane. The exact function of the beta-3 subunit is not known.

Cellular Location


Apical cell membrane {ECO:0000250|UniProtKB:Q63377}; Single-pass type II membrane protein. Basolateral cell membrane {ECO:0000250|UniProtKB:Q63377}; Single-pass type II membrane protein. Melanosome Note=Identified by mass spectrometry in melanosome fractions from stage I to stage IV

ATP1B3 Antibody (C-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

ATP1B3 Antibody (C-term) - Images



ATP1B3 Antibody (C-term) (Cat. #AP12745b) western blot analysis in NCI-H460 cell line lysates (35ug/lane). This demonstrates the ATP1B3 antibody detected the ATP1B3 protein (arrow).





ATP1B3 Antibody (C-term) (Cat. #AP12745b)immunohistochemistry analysis in formalin fixed and paraffin embedded human stomach tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of ATP1B3 Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.

ATP1B3 Antibody (C-term) - Background

The protein encoded by this gene belongs to the family of Na+/K+ and H+/K+ ATPases beta chain proteins, and to the subfamily of Na+/K+ -ATPases. Na+/K+ -ATPase is an integral membrane protein responsible for establishing and maintaining the electrochemical gradients of Na and K ions across the plasma membrane. These gradients are essential for osmoregulation, for sodium-coupled transport of a variety of organic and inorganic molecules, and for electrical excitability of nerve and muscle. This enzyme is composed of two subunits, a large catalytic subunit (alpha) and a smaller glycoprotein subunit (beta). The beta subunit regulates, through assembly of alpha/beta heterodimers, the number of sodium pumps transported to the plasma membrane. The glycoprotein subunit of Na+/K+ -ATPase is encoded by multiple genes. This gene encodes a beta 3 subunit. This gene encodes a beta 3 subunit. A pseudogene exists for this gene, and it is located on chromosome 2. [provided by RefSeq].

ATP1B3 Antibody (C-term) - References

Floyd, R.V., et al. Reprod Sci 17(4):366-376(2010) Aughey, R.J., et al. J. Appl. Physiol. 103(1):39-47(2007) Ewing, R.M., et al. Mol. Syst. Biol. 3, 89 (2007): Chiampanichayakul, S., et al. Tissue Antigens 68(6):509-517(2006) Chi, A., et al. J. Proteome Res. 5(11):3135-3144(2006) ATP1B3 Antibody (C-term) - Citations

• Mapping of the N-linked glycoproteome of human spermatozoa.