10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

BEND7 Antibody (C-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP12776b

Specification

BEND7 Antibody (C-term) - Product Information

Application	**WB, IHC-P,E**
Primary Accession	Q8N7W2
Other Accession	NP_689964.2, NP_001094382.1
Reactivity	**Mouse**
Host	**Rabbit**
Clonality	**Polyclonal**
Isotype	**Rabbit IgG**
Calculated MW	**57549**
Antigen Region	**319-348**

BEND7 Antibody (C-term) - Additional Information

Gene ID 222389

Other Names
BEN domain-containing protein 7, BEND7, C10orf30

Target/Specificity
This BEND7 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 319-348 amino acids from the C-terminal region of human BEND7.

Dilution
WB~~1:1000
IHC-P~~1:10~50

Format
Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage
Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions
BEND7 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

BEND7 Antibody (C-term) - Protein Information

Name BEND7

Synonyms C10orf30


10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

BEND7 Antibody (C-term) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

BEND7 Antibody (C-term) - Images



BEND7 Antibody (C-term) (Cat. #AP12776b) western blot analysis in mouse liver tissue lysates (35ug/lane).This demonstrates the BEND7 antibody detected the BEND7 protein (arrow).



BEND7 Antibody (C-term) (Cat. #AP12776b)immunohistochemistry analysis in formalin fixed and paraffin embedded human liver tissue followed by peroxidase conjugation of the secondary antibody and DAB staining.This data demonstrates the use of BEND7 Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.

10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

BEND7 Antibody (C-term) - References

Venkatesan, K., et al. Nat. Methods 6(1):83-90(2009)
Grupe, A., et al. Am. J. Hum. Genet. 78(1):78-88(2006)
Deloukas, P., et al. Nature 429(6990):375-381(2004)