10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

PLEKHH1 Antibody (C-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP12777b

Specification

PLEKHH1 Antibody (C-term) - Product Information

Application	**WB, IHC-P, FC,E**
Primary Accession	Q9ULM0
Other Accession	NP_065766.1
Reactivity	**Human**
Host	**Rabbit**
Clonality	**Polyclonal**
Isotype	**Rabbit IgG**
Calculated MW	**151232**
Antigen Region	**1082-1110**

PLEKHH1 Antibody (C-term) - Additional Information

Gene ID 57475

Other Names
Pleckstrin homology domain-containing family H member 1, PH domain-containing family H member 1, PLEKHH1, KIAA1200

Target/Specificity
This PLEKHH1 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 1082-1110 amino acids from the C-terminal region of human PLEKHH1.

Dilution
WB~~1:1000
IHC-P~~1:10~50
FC~~1:10~50

Format
Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage
Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions
PLEKHH1 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

PLEKHH1 Antibody (C-term) - Protein Information

Name PLEKHH1


Synonyms KIAA1200

PLEKHH1 Antibody (C-term) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

PLEKHH1 Antibody (C-term) - Images




PLEKHH1 Antibody (C-term) (Cat. #AP12777b) western blot analysis in HepG2 cell line lysates (35ug/lane).This demonstrates the PLEKHH1 antibody detected the PLEKHH1 protein (arrow).



PLEKHH1 Antibody (C-term) (Cat. #AP12777b)immunohistochemistry analysis in formalin fixed and paraffin embedded human brain tissue followed by peroxidase conjugation of the secondary

10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

antibody and DAB staining.This data demonstrates the use of PLEKHH1 Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.



PLEKHH1 Antibody (C-term) (Cat. #AP12777b) flow cytometric analysis of K562 cells (right histogram) compared to a negative control cell (left histogram).FITC-conjugated donkey-anti-rabbit secondary antibodies were used for the analysis.

PLEKHH1 Antibody (C-term) - References

Kimura, K., et al. Genome Res. 16(1):55-65(2006)