

TNP2 Antibody (C-term)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP12809b**Specification**

TNP2 Antibody (C-term) - Product Information

Application	WB,E
Primary Accession	Q05952
Other Accession	NP_005416.1
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	15641
Antigen Region	88-116

TNP2 Antibody (C-term) - Additional Information**Gene ID** 7142**Other Names**

Nuclear transition protein 2, TP-2, TP2, TNP2

Target/Specificity

This TNP2 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 88-116 amino acids from the C-terminal region of human TNP2.

Dilution

WB~~1:1000

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

TNP2 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

TNP2 Antibody (C-term) - Protein Information**Name** TNP2

Function Plays a key role in the replacement of histones to protamine in the elongating spermatids of mammals. In condensing spermatids, loaded onto the nucleosomes, where it

promotes the recruitment and processing of protamines, which are responsible for histone eviction.

Cellular Location

Nucleus {ECO:0000250|UniProtKB:P11101}. Nucleus, nucleolus {ECO:0000250|UniProtKB:P11101}. Chromosome {ECO:0000250|UniProtKB:P11101}. Note=Loaded onto the nucleosomes of condensing spermatids (By similarity). Nuclear import is mediated by IPO4. Nucleolar localization requires the protein to be phosphorylated (By similarity). {ECO:0000250|UniProtKB:P11101, ECO:0000250|UniProtKB:P11378}

Tissue Location


Expressed by spermatids (at protein level).

TNP2 Antibody (C-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

TNP2 Antibody (C-term) - Images



TNP2 Antibody (C-term) (Cat. #AP12809b) western blot analysis in ZR-75-1 cell line lysates (35ug/lane). This demonstrates the TNP2 antibody detected the TNP2 protein (arrow).

TNP2 Antibody (C-term) - Background

In the elongating spermatids of mammals, the conversion of nucleosomal chromatin to the compact, non-nucleosomal form found in the sperm nucleus is associated with the appearance of a small set of basic chromosomal transition proteins.

TNP2 Antibody (C-term) - References

Aston, K.I., et al. Hum. Reprod. 25(6):1383-1397(2010)

Khatttri, A., et al. Int. J. Androl. (2010) In press :
Pradeepa, M.M., et al. J. Biol. Chem. 284(43):29956-29967(2009)
Cooper, J.D., et al. Nat. Genet. 40(12):1399-1401(2008)
Becker, S., et al. Andrologia 40(4):203-208(2008)