

# MOBKL1B Antibody (N-term)

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP12884a

## Specification

# **MOBKL1B** Antibody (N-term) - Product Information

Application Primary Accession Other Accession

Reactivity Predicted Host Clonality Isotype Calculated MW Antigen Region WB, FC,E <u>O9H8S9</u> <u>O8BPB0, O7L9L4, O3T1J9, O921Y0,</u> <u>NP\_060691.2</u> Human Mouse, Rat Rabbit Polyclonal Rabbit IgG 25080 5-33

## MOBKL1B Antibody (N-term) - Additional Information

Gene ID 55233

**Other Names** MOB kinase activator 1A, Mob1 alpha, Mob1A, Mob1 homolog 1B, Mps one binder kinase activator-like 1B, MOB1A, C2orf6, MOB4B, MOBK1B, MOBKL1B

### Target/Specificity

This MOBKL1B antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 5-33 amino acids from the N-terminal region of human MOBKL1B.

**Dilution** WB~~1:1000 FC~~1:10~50

#### Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is prepared by Saturated Ammonium Sulfate (SAS) precipitation followed by dialysis against PBS.

#### Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

#### Precautions

MOBKL1B Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

### MOBKL1B Antibody (N-term) - Protein Information



## Name MOB1A

# Synonyms C2orf6, MOB4B, MOBK1B, MOBKL1B

**Function** Activator of LATS1/2 in the Hippo signaling pathway which plays a pivotal role in organ size control and tumor suppression by restricting proliferation and promoting apoptosis. The core of this pathway is composed of a kinase cascade wherein STK3/MST2 and STK4/MST1, in complex with its regulatory protein SAV1, phosphorylates and activates LATS1/2 in complex with its regulatory protein MOB1, which in turn phosphorylates and inactivates YAP1 oncoprotein and WWTR1/TAZ. Phosphorylation of YAP1 by LATS1/2 inhibits its translocation into the nucleus to regulate cellular genes important for cell proliferation, cell death, and cell migration. Stimulates the kinase activity of STK38 and STK38L. Acts cooperatively with STK3/MST2 to activate STK38.

#### **Tissue Location**


Adrenal gland, bone marrow, brain, placenta, prostate, salivary gland, skeletal muscle, testis, thymus, thyroid gland, heart, spinal cord, fetal brain and fetal liver

## MOBKL1B Antibody (N-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

### MOBKL1B Antibody (N-term) - Images



Western blot analysis of MOBKL1B (arrow) using rabbit polyclonal MOBKL1B Antibody (N-term) (Cat. #AP12884a). 293 cell lysates (2 ug/lane) either nontransfected (Lane 1) or transiently transfected (Lane 2) with the MOBKL1B gene.





MOBKL1B Antibody (N-term) (Cat. #AP12884a) flow cytometric analysis of 293 cells (right histogram) compared to a negative control cell (left histogram).FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

# MOBKL1B Antibody (N-term) - Background

Activator of LATS1/2 in the Hippo signaling pathway which plays a pivotal role in organ size control and tumor suppression by restricting proliferation and promoting apoptosis. The core of this pathway is composed of a kinase cascade wherein MST1/MST2, in complex with its regulatory protein SAV1, phosphorylates and activates LATS1/2 in complex with its regulatory protein MOB1, which in turn phosphorylates and inactivates YAP1 oncoprotein and WWTR1/TAZ. Phosphorylation of YAP1 by LATS1/2 inhibits its translocation into the nucleus to regulate cellular genes important for cell proliferation, cell death, and cell migration. Stimulates the kinase activity of STK38 and STK38L.

# **MOBKL1B Antibody (N-term) - References**

Chow, A., et al. Int. J. Cancer 126(9):2079-2089(2010) Wilmeth, L.J., et al. Mol. Biol. Cell 21(3):380-392(2010) Kosaka, Y., et al. Int. J. Oncol. 31(2):333-338(2007) Lamesch, P., et al. Genomics 89(3):307-315(2007) Ewing, R.M., et al. Mol. Syst. Biol. 3, 89 (2007) :