

LSM12 Antibody (C-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP13111B

Specification

LSM12 Antibody (C-term) - Product Information

Application WB, IHC-P,E
Primary Accession Q3MHD2

Other Accession <u>Q9D0R8</u>, <u>Q5ZML5</u>, <u>Q0VCF9</u>, <u>Q6NSN1</u>,

NP_689557.1

Reactivity Mouse

Predicted Zebrafish, Bovine, Chicken

Host Rabbit
Clonality Polyclonal
Isotype Rabbit IgG
Calculated MW 21701
Antigen Region 146-174

LSM12 Antibody (C-term) - Additional Information

Gene ID 124801

Other Names

Protein LSM12 homolog, LSM12

Target/Specificity

This LSM12 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 146-174 amino acids from the C-terminal region of human LSM12.

Dilution

WB~~1:1000 IHC-P~~1:10~50

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage


Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

LSM12 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

LSM12 Antibody (C-term) - Protein Information

Name LSM12





Function Nicotinic acid adenine dinucleotide phosphate (NAADP) binding protein (PubMed: 34362892). Confers NAADP sensitivity to the two pore channel complex (TPCs) by acting as TPC accessory protein necessary for NAADP-evoked Ca(2+) release (PubMed: 34362892).

Cellular Location


Cytoplasm. Note=Colocalizes with TPCN2.

LSM12 Antibody (C-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

LSM12 Antibody (C-term) - Images



LSM12 Antibody (C-term) (Cat. #AP13111b) western blot analysis in mouse liver tissue lysates (35ug/lane). This demonstrates the LSM12 antibody detected the LSM12 protein (arrow).





LSM12 Antibody (C-term) (Cat. #AP13111b)immunohistochemistry analysis in formalin fixed and paraffin embedded human brain tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of LSM12 Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.

LSM12 Antibody (C-term) - Background

LSM12 belongs to the LSM12 family. The exact function of LSM12 is not known.

LSM12 Antibody (C-term) - References

Ewing, R.M., et al. Mol. Syst. Biol. 3, 89 (2007) : Albrecht, M., et al. FEBS Lett. 569 (1-3), 18-26 (2004) :