

WDR89 Antibody (C-term)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP13408b**Specification**

WDR89 Antibody (C-term) - Product Information

Application	WB, IHC-P,E
Primary Accession	Q96FK6
Other Accession	Q3ZBK1 , NP_001008726.1 , NP_542397.1
Reactivity	Human
Predicted	Bovine
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	43215
Antigen Region	359-387

WDR89 Antibody (C-term) - Additional Information**Gene ID** 112840**Other Names**

WD repeat-containing protein 89, WDR89, C14orf150

Target/Specificity

This WDR89 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 359-387 amino acids from the C-terminal region of human WDR89.

Dilution

WB~~1:1000

IHC-P~~1:10~50

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

WDR89 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

WDR89 Antibody (C-term) - Protein Information**Name** WDR89


Synonyms C14orf150

WDR89 Antibody (C-term) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

WDR89 Antibody (C-term) - Images



WDR89 Antibody (C-term) (Cat. #AP13408b) western blot analysis in human normal Uterus tissue lysates (35ug/lane). This demonstrates the WDR89 antibody detected the WDR89 protein (arrow).



WDR89 Antibody (C-term) (Cat. #AP13408b) immunohistochemistry analysis in formalin fixed and paraffin embedded human stomach tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of WDR89 Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.

WDR89 Antibody (C-term) - Background

The specific function of WDR89 remains unknown.

WDR89 Antibody (C-term) - References

Lamesch, P., et al. Genomics 89(3):307-315(2007) Andersen, J.S., et al. Nature 433(7021):77-83(2005)