

WNT8B Antibody (C-term)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP13948b

Specification

WNT8B Antibody (C-term) - Product Information

Application	WB,E
Primary Accession	O93098
Other Accession	NP_003384.2
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	38721
Antigen Region	323-351

WNT8B Antibody (C-term) - Additional Information

Gene ID 7479

Other Names

Protein Wnt-8b, WNT8B

Target/Specificity

This WNT8B antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 323-351 amino acids from the C-terminal region of human WNT8B.

Dilution

WB~~1:1000

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

WNT8B Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

WNT8B Antibody (C-term) - Protein Information

Name WNT8B

Function Ligand for members of the frizzled family of seven transmembrane receptors. May play an important role in the development and differentiation of certain forebrain structures, notably

the hippocampus.

Cellular Location

Secreted, extracellular space, extracellular matrix


Tissue Location

Expression is restricted to the brain, and more specifically to the forebrain.

WNT8B Antibody (C-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

WNT8B Antibody (C-term) - Images

Anti-WNT8B Antibody (C-term) at 1:1000 dilution + K562 whole cell lysate Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 39 kDa Blocking/Dilution buffer: 5% NFDm/TBST.

WNT8B Antibody (C-term) - Background

The WNT gene family consists of structurally related genes which encode secreted signaling proteins. These proteins have been implicated in oncogenesis and in several developmental processes, including regulation of cell fate and patterning during embryogenesis. This gene is a member of the WNT gene family. It encodes a protein which shows 95%, 86% and 71% amino acid identity to the mouse, zebrafish and Xenopus Wnt8B proteins, respectively. The expression patterns of the human and mouse genes appear

identical and are restricted to the developing brain. The chromosomal location of this gene to 10q24 suggests it as a candidate gene for partial epilepsy.

WNT8B Antibody (C-term) - References

Katoh, M., et al. Int. J. Oncol. 30(5):1273-1277(2007)
Grupe, A., et al. Am. J. Hum. Genet. 78(1):78-88(2006)
Deloukas, P., et al. Nature 429(6990):375-381(2004)
Saitoh, T., et al. Int. J. Oncol. 20(5):999-1003(2002)
Saitoh, T., et al. Int. J. Oncol. 20(2):343-348(2002)