

DLX4 Antibody (Center)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP14046c

Specification

DLX4 Antibody (Center) - Product Information

Application WB,E
Primary Accession Q92988

Other Accession <u>NP 612138.1, NP 001925.2</u>

Reactivity
Human
Host
Clonality
Polyclonal
Isotype
Calculated MW
Antigen Region

Human
Rabbit
Rabbit
Polyclonal
Rabbit IgG
72-100

DLX4 Antibody (Center) - Additional Information

Gene ID 1748

Other Names

Homeobox protein DLX-4, Beta protein 1, Homeobox protein DLX-7, Homeobox protein DLX-8, DLX4, BP1, DLX7, DLX8, DLX9

Target/Specificity

This DLX4 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 72-100 amino acids from the Central region of human DLX4.

Dilution

WB~~1:1000

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.


Precautions

DLX4 Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

DLX4 Antibody (Center) - Protein Information

Name DLX4

Synonyms BP1, DLX7, DLX8, DLX9





Function May play a role in determining the production of hemoglobin S. May act as a repressor. During embryonic development, plays a role in palatogenesis.

Cellular Location Nucleus.

Tissue Location


Expressed in leukemia cells and placenta. Also expressed in kidney and fetal liver.

DLX4 Antibody (Center) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

DLX4 Antibody (Center) - Images



DLX4 Antibody (Center) (Cat. #AP14046c) western blot analysis in K562 cell line lysates (35ug/lane). This demonstrates the DLX4 antibody detected the DLX4 protein (arrow).





Western blot analysis of DLX4 (arrow) using rabbit polyclonal DLX4 Antibody (Center) (Cat. #AP14046c). 293 cell lysates (2 ug/lane) either nontransfected (Lane 1) or transiently transfected (Lane 2) with the DLX4 gene.

DLX4 Antibody (Center) - Background

Many vertebrate homeo box-containing genes have been identified on the basis of their sequence similarity with Drosophila developmental genes. Members of the Dlx gene family contain a homeobox that is related to that of Distal-less (Dll), a gene expressed in the head and limbs of the developing fruit fly. The Distal-less (Dlx) family of genes comprises at least 6 different members, DLX1-DLX6. The DLX proteins are postulated to play a role in forebrain and craniofacial development. Three transcript variants have been described for this gene, however, the full length nature of one variant has not been described. Studies of the two splice variants revealed that one encoded isoform functions as a repressor of the beta-globin gene while the other isoform lacks that function.

DLX4 Antibody (Center) - References

Jugessur, A., et al. PLoS ONE 5 (7), E11493 (2010):
Schwartz, A.M., et al. Mod. Pathol. 22(1):1-6(2009)
Man, Y.G., et al. Cancer Biomark 5(1):9-17(2009)
Cavalli, L.R., et al. Cancer Genet. Cytogenet. 187(1):19-24(2008)
Vieira, A.R., et al. Genet. Med. 10(9):668-674(2008)