10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

TMC6 Antibody (N-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP14212a

Specification

TMC6 Antibody (N-term) - Product Information

Application	**WB,E**
Primary Accession	Q7Z403
Other Accession	NP_009198.4, NP_001120670.1
Reactivity	**Human**
Host	**Rabbit**
Clonality	**Polyclonal**
Isotype	**Rabbit IgG**
Calculated MW	**90045**
Antigen Region	**160-188**

TMC6 Antibody (N-term) - Additional Information

Gene ID 11322

Other Names
Transmembrane channel-like protein 6, Epidermodysplasia verruciformis protein 1, Protein LAK-4, TMC6, EVER1, EVIN1

Target/Specificity
This TMC6 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 160-188 amino acids from the N-terminal region of human TMC6.

Dilution
WB~~1:1000

Format
Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage
Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions
TMC6 Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

TMC6 Antibody (N-term) - Protein Information

Name TMC6

Synonyms EVER1, EVIN1

Function Probable ion channel.

Cellular Location
Endoplasmic reticulum membrane; Multi-pass membrane protein


Tissue Location
Expressed in placenta, prostate, testis, activated T-lymphocytes and lymphokine-activated killer (LAK) lymphocytes {ECO:0000269|PubMed:12906855, ECO:0000269|Ref.3}

TMC6 Antibody (N-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

TMC6 Antibody (N-term) - Images



TMC6 Antibody (N-term) (Cat. #AP14212a) western blot analysis in A2058 cell line lysates (35ug/lane).This demonstrates the TMC6 antibody detected the TMC6 protein (arrow).

TMC6 Antibody (N-term) - Background

Epidermodysplasia verruciformis (EV) is an autosomal recessive dermatosis characterized by abnormal susceptibility to human papillomaviruses (HPVs) and a high rate of progression to squamous cell carcinoma on sun-exposed skin. EV is caused by mutations in either of two adjacent genes located on chromosome 17q25.3. Both of these genes encode integral membrane proteins that localize to the endoplasmic reticulum and are predicted to form transmembrane channels. This gene encodes a transmembrane channel-like protein with 10 transmembrane domains and 2 leucine zipper motifs.

10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

TMC6 Antibody (N-term) - References

McDermott, D.F., et al. Pediatr Dermatol 26(3):306-310(2009)
Lazarczyk, M., et al. J. Exp. Med. 205(1):35-42(2008)
Zuo, Y.G., et al. J. Dermatol. Sci. 44(3):153-159(2006)
Olsen, J.V., et al. Cell 127(3):635-648(2006)
Donfack, J., et al. Int. J. Pediatr. Otorhinolaryngol. 70(7):1235-1240(2006)