

GPR27 Antibody (Center)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP14514c

Specification

GPR27 Antibody (Center) - Product Information

Application WB,E
Primary Accession Q9NS67

Other Accession <u>Q9IIH3</u>, <u>Q54897</u>, <u>NP 061844.1</u>

Reactivity
Predicted
Host
Clonality
Isotype
Antigen Region

Human
Mouse, Rat
Rabbit
Polyclonal
Rabbit IgG
193-221

GPR27 Antibody (Center) - Additional Information

Gene ID 2850

Other Names

Probable G-protein coupled receptor 27, Super conserved receptor expressed in brain 1, GPR27, SREB1

Target/Specificity

This GPR27 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 193-221 amino acids from the Central region of human GPR27.

Dilution

WB~~1:1000

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

GPR27 Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

GPR27 Antibody (Center) - Protein Information

Name GPR27

Synonyms SREB1



Function Orphan receptor. Possible candidate for amine-like G-protein coupled receptor.

Cellular Location

Cell membrane; Multi-pass membrane protein

Tissue Location


Highly expressed as a 3.0 kb transcript in brain, ovary, testis, heart, prostate and peripheral Leukocytes. Lower levels in pancreas and small intestine. A 2.3 kb transcript was also found in peripheral Leukocytes. In brain regions, detected as a 3.0 kb transcript in all regions tested. Highest levels in the caudate nucleus, putamen, hippocampus and subthalamic nucleus. Lowest level in the cerebellum

GPR27 Antibody (Center) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture


GPR27 Antibody (Center) - Images



GPR27 Antibody (Center) (Cat. #AP14514c) western blot analysis in NCI-H292 cell line lysates (35ug/lane). This demonstrates the GPR27 antibody detected the GPR27 protein (arrow).

GPR27 Antibody (Center) - Background

GPR27 is a member of the G protein-coupled receptors (GPCRs), a large family of receptors that have a similar structure characterized by 7 transmembrane domains. Activation of GPCRs by extracellular stimuli such as neurotransmitters, hormones, or light induces an intracellular signaling cascade mediated by heterotrimeric GTP-binding proteins, or G proteins.[supplied by OMIM].





GPR27 Antibody (Center) - References

Matsumoto, M., et al. Biochem. Biophys. Res. Commun. 272(2):576-582(2000)