

Mouse Map3k1 Antibody (C-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP14625B

Specification

Mouse Map3k1 Antibody (C-term) - Product Information

Application Primary Accession Other Accession Reactivity Predicted Host Clonality Isotype Calculated MW	WB, IHC-P,E <u>P53349</u> <u>Q13233</u> Mouse Human Rabbit Polyclonal Rabbit IgG 161289
Antigen Region	1194-1221

Mouse Map3k1 Antibody (C-term) - Additional Information

Other Names

Mitogen-activated protein kinase kinase kinase 1, MAPK/ERK kinase kinase 1, MEK kinase 1, MEKK 1, Map3k1, Mekk, Mekk1

Target/Specificity

This Mouse Map3k1 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 1194-1221 amino acids from the C-terminal region of mouse Map3k1.

Dilution WB~~1:1000 IHC-P~~1:10~50

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

Mouse Map3k1 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

Mouse Map3k1 Antibody (C-term) - Protein Information

Name Map3k1

Synonyms Mekk, Mekk1



Function Component of a protein kinase signal transduction cascade (PubMed:<u>14500727</u>). Activates the ERK and JNK kinase pathways by phosphorylation of MAP2K1 and MAP2K4 (PubMed:<u>14500727</u>). May phosphorylate the MAPK8/JNK1 kinase (PubMed:<u>17761173</u>). Activates CHUK and IKBKB, the central protein kinases of the NF-kappa-B pathway (PubMed:<u>14500727</u>).

Tissue Location


Highly expressed in the heart and spleen while a lower level expression is seen in the liver

Mouse Map3k1 Antibody (C-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

Mouse Map3k1 Antibody (C-term) - Images



Mouse Map3k1 Antibody (C-term) (Cat. #AP14625b) western blot analysis in mouse liver tissue lysates (35ug/lane). This demonstrates the Map3k1 antibody detected the Map3k1 protein (arrow).





Mouse Map3k1 Antibody (C-term) (AP14625b)immunohistochemistry analysis in formalin fixed and paraffin embedded m.heart tissue followed by peroxidase conjugation of the secondary antibody and DAB staining.This data demonstrates the use of Mouse Map3k1 Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.

Mouse Map3k1 Antibody (C-term) - Background

Component of a protein kinase signal transduction cascade. Activates the ERK and JNK kinase pathways by phosphorylation of MAP2K1 and MAP2K4. Activates CHUK and IKBKB, the central protein kinases of the NF-kappa-B pathway.