

ALDH5A1 Antibody
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP1472d**Specification**

ALDH5A1 Antibody - Product Information

Application	WB, IHC-P, FC,E
Primary Accession	P51649
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	57215

ALDH5A1 Antibody - Additional Information**Gene ID** 7915**Other Names**

Succinate-semialdehyde dehydrogenase, mitochondrial, Aldehyde dehydrogenase family 5 member A1, NAD(+)-dependent succinic semialdehyde dehydrogenase, ALDH5A1, SSADH

Target/Specificity

This ALDH5A1 antibody is generated from rabbits immunized with human ALDH5A1 recombinant protein.

Dilution

WB~~1:1000
IHC-P~~1:50~100
FC~~1:10~50

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

ALDH5A1 Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

ALDH5A1 Antibody - Protein Information**Name** ALDH5A1 ([HGNC:408](#))**Synonyms** SSADH

Function Catalyzes one step in the degradation of the inhibitory neurotransmitter gamma-aminobutyric acid (GABA).

Cellular Location

Mitochondrion.

Tissue Location


Brain, pancreas, heart, liver, skeletal muscle and kidney. Lower in placenta

ALDH5A1 Antibody - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


ALDH5A1 Antibody - Images



Western blot analysis of ALDH5A1 Antibody (Cat. #AP1472d) in WiDr cell line lysates (35ug/lane). ALDH5A1 (arrow) was detected using the purified Pab.



Formalin-fixed and paraffin-embedded brain tissue reacted with ALDH5A1 Antibody, which was peroxidase-conjugated to the secondary antibody, followed by DAB staining. This data demonstrates the use of this antibody for immunohistochemistry; clinical relevance has not been evaluated.



ALDH5A1 Antibody (Cat. #AP1472d) flow cytometric analysis of WiDr cells (right histogram) compared to a negative control cell (left histogram). FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

ALDH5A1 Antibody - Background

ALDH5A1 belongs to the aldehyde dehydrogenase family of proteins. This protein functions as a mitochondrial NAD(+)-dependent succinic semialdehyde dehydrogenase. A deficiency of this enzyme, known as 4-hydroxybutyricaciduria, is a rare inborn error in the metabolism of the neurotransmitter 4-aminobutyric acid (GABA). In response to the defect, physiologic fluids from patients accumulate GHB, a compound with numerous neuromodulatory properties.

ALDH5A1 Antibody - References

Knerr, I., J. Inherit. Metab. Dis. 30 (3), 279-294 (2007) Blasi, P., J. Mol. Evol. 63 (1), 54-68 (2006)
Plomin, R., Mol. Psychiatry 9 (6), 582-586 (2004)