

### **CHADL Antibody (Center)**

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP16613C

### **Specification**

## **CHADL Antibody (Center) - Product Information**

**Application** WB,E **Primary Accession 06NUI6** Other Accession NP 612490.1 Reactivity Human Host **Rabbit** Clonality **Polyclonal** Isotype Rabbit IgG Calculated MW 82388 Antigen Region 406-434

### **CHADL Antibody (Center) - Additional Information**

Gene ID 150356

#### **Other Names**

Chondroadherin-like protein, CHADL, SLRR4B

#### Target/Specificity

This CHADL antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 406-434 amino acids from the Central region of human CHADL.

## **Dilution**

WB~~1:1000

### **Format**

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

#### Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

## **Precautions**

CHADL Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

## **CHADL Antibody (Center) - Protein Information**

**Name CHADL** 

**Synonyms** SLRR4B



**Function** Potential negative modulator of chondrocyte differentiation. Inhibits collagen fibrillogenesis in vitro. May influence chondrocyte's differentiation by acting on its cellular collagenous microenvironment.

#### **Cellular Location**


Secreted. Secreted, extracellular space, extracellular matrix {ECO:0000250|UniProtKB:E9Q7T7}

## **CHADL Antibody (Center) - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

## **CHADL Antibody (Center) - Images**



CHADL Antibody (Center) (Cat. #AP16613c) western blot analysis in T47D cell line lysates (35ug/lane). This demonstrates the CHADL antibody detected the CHADL protein (arrow).

## **CHADL Antibody (Center) - Background**

Members of the small leucine-rich proteoglycan (SLRP) family are mostly extracellular proteins that function upstream of multiple signaling cascades. They affect intracellular phosphorylation and modulate distinct pathways, such as those driven by Toll-like receptors, TGF? and receptor tyrosine kinases. As a member of the SLRP family, CHADL (Chondroadherin-like protein) is a 762 amino acid protein containing 21 LRR (leucine-rich) repeats, which promote protein-ligand interactions. Chondroadherin, a closely related protein, promotes attachment of chrondocytes, osteoblasts and fibroblasts and also plays an important role in the regulation of chrodrocyte proliferation and growth. CHADL is a secreted protein that is located in the extracellular space. There are two isoforms of CHADL that exist as a result of alternative splicing events.



# **CHADL Antibody (Center) - References**

Barbe, L., et al. Mol. Cell Proteomics 7(3):499-508(2008)