

SRRD Antibody (Center)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP16961c**Specification**

SRRD Antibody (Center) - Product Information

Application	WB,E
Primary Accession	O9UH36
Other Accession	NP_001013716.2
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	38573
Antigen Region	184-213

SRRD Antibody (Center) - Additional Information**Gene ID** 402055**Other Names**

SRR1-like protein, SRR1 domain-containing protein, SRRD, SRR1L

Target/Specificity

This SRRD antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 184-213 amino acids from the Central region of human SRRD.

Dilution

WB~~1:1000

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

SRRD Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

SRRD Antibody (Center) - Protein Information**Name** SRRD**Synonyms** SRR1L

Function Plays a role in the regulation of heme biosynthesis and in the regulation of the expression of core clock genes.

Cellular Location


Cytoplasm {ECO:0000250|UniProtKB:Q8K2M3}. Note=Also found in intracellular organelles {ECO:0000250|UniProtKB:Q8K2M3}

SRRD Antibody (Center) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

SRRD Antibody (Center) - Images



SRRD Antibody (Center) (Cat. #AP16961c) western blot analysis in MDA-MB453 cell line lysates (35ug/lane). This demonstrates the SRRD antibody detected the SRRD protein (arrow).

SRRD Antibody (Center) - Background

SRRD may be involved in a circadian clock input pathway (By similarity).

SRRD Antibody (Center) - References

Sikorska, M., et al. J. Neurosci. Res. 86(8):1680-1693(2008)
Dunham, I., et al. Nature 402(6761):489-495(1999)
Kedar, V., et al. Biochem. Biophys. Res. Commun. 226(2):461-466(1996)