

CHID1 Antibody (C-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP17135b

Specification

CHID1 Antibody (C-term) - Product Information

Application WB,E
Primary Accession O9BWS9

Other Accession NP 001136146.1, NP 001136147.1

Reactivity
Host
Clonality
Polyclonal
Isotype
Calculated MW
Antigen Region

Human
Rabbit
Polyclonal
Rabbit IgG
A4941
287-315

CHID1 Antibody (C-term) - Additional Information

Gene ID 66005

Other Names

Chitinase domain-containing protein 1, Stabilin-1-interacting chitinase-like protein, SI-CLP, CHID1

Target/Specificity

This CHID1 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 287-315 amino acids from the C-terminal region of human CHID1.

Dilution

WB~~1:1000

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

CHID1 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

CHID1 Antibody (C-term) - Protein Information

Name CHID1

Function Saccharide- and LPS-binding protein with possible roles in pathogen sensing and endotoxin neutralization. Ligand-binding specificity relates to the length of the oligosaccharides,



with preference for chitotetraose (in vitro).

Cellular Location Secreted. Lysosome

Tissue Location


Expressed in cells of monocytic, T, B and epithelial origin.

CHID1 Antibody (C-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

CHID1 Antibody (C-term) - Images



CHID1 Antibody (C-term) (Cat. #AP17135b) western blot analysis in Hela cell line lysates (35ug/lane). This demonstrates the CHID1 antibody detected the CHID1 protein (arrow).

CHID1 Antibody (C-term) - Background

Saccharide- and LPS-binding protein with possible roles in pathogen sensing and endotoxin neutralization. Ligand-binding specificity relates to the length of the oligosaccharides, with preference for chitotetraose (in vitro).

CHID1 Antibody (C-term) - References

Rose, J.E., et al. Mol. Med. 16 (7-8), 247-253 (2010): Meng, G., et al. Protein Pept. Lett. 16(3):336-338(2009) Lamesch, P., et al. Genomics 89(3):307-315(2007) Kzhyshkowska, J., et al. Blood 107(8):3221-3228(2006)