

### **RBM23 Antibody (Center)**

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP17329C

## **Specification**

### **RBM23 Antibody (Center) - Product Information**

Application WB,E
Primary Accession Q86U06

Other Accession NP 001070820.1, NP 001070819.1

Reactivity
Host
Clonality
Polyclonal
Isotype
Calculated MW
Antigen Region
Human
Rabbit
Polyclonal
Rabbit IgG
128-157

## **RBM23 Antibody (Center) - Additional Information**

#### **Gene ID 55147**

#### **Other Names**

Probable RNA-binding protein 23, RNA-binding motif protein 23, RNA-binding region-containing protein 4, Splicing factor SF2, RBM23, RNPC4

## Target/Specificity

This RBM23 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 128-157 amino acids from the Central region of human RBM23.

### **Dilution**

WB~~1:1000

### **Format**

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

#### **Storage**

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.


## **Precautions**

RBM23 Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

## **RBM23 Antibody (Center) - Protein Information**

Name RBM23 {ECO:0000303|PubMed:31693891, ECO:0000312|HGNC:HGNC:20155}

Function RNA-binding protein that acts both as a transcription coactivator and pre-mRNA splicing





factor (PubMed: 15694343). Regulates steroid hormone receptor-mediated transcription, independently of the pre-mRNA splicing factor activity (PubMed: 15694343).

Cellular Location
Nucleus

#### **Tissue Location**


Highly expressed in placenta, liver, skeletal muscle, heart and kidney (PubMed:15694343). Expressed at lower levels in the colon, thymus, spleen, small intestine and lung (PubMed:15694343).

## **RBM23 Antibody (Center) - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

## **RBM23 Antibody (Center) - Images**



RBM23 Antibody (Center) (Cat. #AP17329c) western blot analysis in Hela cell line lysates (35ug/lane). This demonstrates the RBM23 antibody detected the RBM23 protein (arrow).

## RBM23 Antibody (Center) - Background

This gene encodes a member of the U2AF-like family of RNA binding proteins. This protein interacts with some steroid nuclear receptors, localizes to the promoter of a steroid-responsive gene, and increases transcription of steroid-responsive transcriptional reporters in a hormone-dependent manner. It is also implicated in the steroid receptor-dependent regulation of alternative splicing.





Tel: 858.875.1900 Fax: 858.875.1999

Multiple transcript variants encoding different isoforms have been found for this gene.

# **RBM23 Antibody (Center) - References**

Lamesch, P., et al. Genomics 89(3):307-315(2007) Olsen, J.V., et al. Cell 127(3):635-648(2006) Olsen, J.V., et al. Cell 127(3):635-648(2006) Stelzl, U., et al. Cell 122(6):957-968(2005) Dowhan, D.H., et al. Mol. Cell 17(3):429-439(2005) **RBM23 Antibody (Center) - Citations** 

• The Epstein-Barr virus EBNA1 protein modulates the alternative splicing of cellular genes.