

SNX7 Antibody (Center)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP17392C

Specification

SNX7 Antibody (Center) - Product Information

Application Primary Accession Other Accession Reactivity Predicted Host Clonality Isotype Calculated MW Antigen Region WB,E <u>O9UNH6</u> <u>O9CY18</u>, <u>O4R5U9</u>, <u>NP_689424.2</u>, <u>NP_057060.2</u> Human Monkey, Mouse Rabbit Polyclonal Rabbit IgG 45303 188-215

SNX7 Antibody (Center) - Additional Information

Gene ID 51375

Other Names Sorting nexin-7, SNX7

Target/Specificity

This SNX7 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 188-215 amino acids from the Central region of human SNX7.

Dilution WB~~1:1000

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

SNX7 Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

SNX7 Antibody (Center) - Protein Information

Name SNX7

Function Involved in the regulation of endocytosis and in several stages of intracellular trafficking



(PubMed:<u>32513819</u>). Together with SNX4, involved in autophagosome assembly by regulating trafficking and recycling of phospholipid scramblase ATG9A (PubMed:<u>32513819</u>).

Cellular Location

Early endosome membrane; Peripheral membrane protein {ECO:0000250|UniProtKB:O95219}; Cytoplasmic side {ECO:0000250|UniProtKB:O95219}

SNX7 Antibody (Center) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

SNX7 Antibody (Center) - Images

SNX7 Antibody (Center) (Cat. #AP17392c) western blot analysis in SK-BR-3 cell line lysates (35ug/lane).This demonstrates the SNX7 antibody detected the SNX7 protein (arrow).

SNX7 Antibody (Center) - Background

This gene encodes a member of the sorting nexin family. Members of this family contain a phox (PX) domain, which is a phosphoinositide binding domain, and are involved in intracellular trafficking. This protein does not contain a coiled coil region like some family members, and its exact function is unknown. Alternative splicing results in multiple transcript variants. A related pseudogene has been identified on chromosome 11. [provided by RefSeq].

SNX7 Antibody (Center) - References

Zhang, X., et al. Mol. Hum. Reprod. 16(5):347-360(2010) Wu, C., et al. Proteomics 7(11):1775-1785(2007) Orlacchio, A., et al. Ann. Neurol. 58(3):423-429(2005) Worby, C.A., et al. Nat. Rev. Mol. Cell Biol. 3(12):919-931(2002) Teasdale, R.D., et al. Biochem. J. 358 (PT 1), 7-16 (2001) :