

CLCNKA Antibody (N-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP17427a

Specification

CLCNKA Antibody (N-term) - Product Information

Application Primary Accession Other Accession Reactivity Host Clonality Isotype Calculated MW Antigen Region WB,E <u>P51800</u> <u>NP_001036169.1</u>, <u>NP_004061.3</u> Human Rabbit Polyclonal Rabbit IgG 75285 20-47

CLCNKA Antibody (N-term) - Additional Information

Gene ID 1187

Other Names Chloride channel protein CIC-Ka, Chloride channel Ka, CIC-K1, CLCNKA

Target/Specificity

This CLCNKA antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 20-47 amino acids from the N-terminal region of human CLCNKA.

Dilution WB~~1:1000

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions CLCNKA Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic

procedures.

CLCNKA Antibody (N-term) - Protein Information

Name CLCNKA

Function Voltage-gated chloride channel. Chloride channels have several functions including the regulation of cell volume; membrane potential stabilization, signal transduction and transepithelial



transport. May be important in urinary concentrating mechanisms.

Cellular Location Membrane; Multi-pass membrane protein.


Tissue Location Expressed predominantly in the kidney. All nephron segments expressing BSND also express CLCNK proteins

CLCNKA Antibody (N-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- <u>Dot Blot</u>
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

CLCNKA Antibody (N-term) - Images



CLCNKA Antibody (N-term) (Cat. #AP17427a) western blot analysis in NCI-H460 cell line lysates (35ug/lane).This demonstrates the CLCNKA antibody detected the CLCNKA protein (arrow).

CLCNKA Antibody (N-term) - Background

This gene is a member of the CLC family of voltage-gated chloride channels. The encoded protein is predicted to have 12 transmembrane domains, and requires a beta subunit called barttin to form a functional channel. It is thought to function in salt reabsorption in the kidney and potassium recycling in the inner ear. The gene is highly similar to CLCNKB, which is located 10 kb downstream from this gene. Multiple transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq].

CLCNKA Antibody (N-term) - References



Bailey, S.D., et al. Diabetes Care (2010) In press : Talmud, P.J., et al. Am. J. Hum. Genet. 85(5):628-642(2009) Kramer, B.K., et al. Nat Clin Pract Nephrol 4(1):38-46(2008) Martinez, G.Q., et al. PLoS ONE 3 (7), E2746 (2008) : Sile, S., et al. Hum. Hered. 65(1):33-46(2008)