

KCNF1 Antibody (Center)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP17981c**Specification**

KCNF1 Antibody (Center) - Product Information

Application	WB,E
Primary Accession	O9H3M0
Other Accession	NP_002227.2
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	55584
Antigen Region	195-221

KCNF1 Antibody (Center) - Additional Information**Gene ID** 3754**Other Names**

Potassium voltage-gated channel subfamily F member 1, Voltage-gated potassium channel subunit Kv51, kH1, KCNF1

Target/Specificity

This KCNF1 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 195-221 amino acids from the Central region of human KCNF1.

Dilution

WB~~1:1000

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

KCNF1 Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

KCNF1 Antibody (Center) - Protein Information**Name** KCNF1**Function** Putative voltage-gated potassium channel.

Cellular Location

Membrane; Multi-pass membrane protein.


Tissue Location

Detected in heart, brain, liver, skeletal muscle, kidney and pancreas

KCNF1 Antibody (Center) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

KCNF1 Antibody (Center) - Images

KCNF1 Antibody (Center) (Cat. #AP17981c) western blot analysis in MDA-MB231 cell line lysates (35ug/lane). This demonstrates the KCNF1 antibody detected the KCNF1 protein (arrow).

KCNF1 Antibody (Center) - Background

Voltage-gated potassium (Kv) channels represent the most complex class of voltage-gated ion channels from both functional and structural standpoints. Their diverse functions include regulating neurotransmitter release, heart rate, insulin secretion, neuronal excitability, epithelial electrolyte transport, smooth muscle contraction, and cell volume. This gene encodes a member of the potassium channel, voltage-gated, subfamily F. This gene is intronless and expressed in all tissues tested, including the heart, skeletal muscle, brain, kidney, and pancreas. [provided by RefSeq].

KCNF1 Antibody (Center) - References

Cirulli, E.T., et al. Eur. J. Hum. Genet. 18(7):815-820(2010)

Gutman, G.A., et al. Pharmacol. Rev. 57(4):473-508(2005)
Ottschytsch, N., et al. Proc. Natl. Acad. Sci. U.S.A. 99(12):7986-7991(2002)
Su, K., et al. Biochem. Biophys. Res. Commun. 241(3):675-681(1997)