

PGM2L1 Antibody (C-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP18243b

Specification

PGM2L1 Antibody (C-term) - Product Information

Application Primary Accession Other Accession Reactivity Host Clonality Isotype Calculated MW Antigen Region WB,E <u>O6PCE3</u> <u>NP_775853.2</u> Human, Mouse Rabbit Polyclonal Rabbit IgG 70442 491-518

PGM2L1 Antibody (C-term) - Additional Information

Gene ID 283209

Other Names Glucose 1, 6-bisphosphate synthase, PMMLP, Phosphoglucomutase-2-like 1, PGM2L1, BM32A

Target/Specificity This PGM2L1 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 491-518 amino acids from the C-terminal region of human PGM2L1.

Dilution WB~~1:1000

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

PGM2L1 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

PGM2L1 Antibody (C-term) - Protein Information

Name PGM2L1 (HGNC:20898)

Synonyms BM32A



Function Glucose 1,6-bisphosphate synthase using 1,3- bisphosphoglycerate as a phosphate donor and a series of 1-phosphate sugars, including glucose 1-phosphate, mannose 1-phosphate, ribose 1- phosphate and deoxyribose 1-phosphate, as acceptors (PubMed:<u>17804405</u>). In vitro, also exhibits very low phosphopentomutase and phosphoglucomutase activity which are most probably not physiologically relevant (PubMed:<u>17804405</u>).


Cellular Location Cytoplasm, cytosol.

PGM2L1 Antibody (C-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- <u>Dot Blot</u>
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

PGM2L1 Antibody (C-term) - Images



PGM2L1 Antibody (C-term) (Cat. #AP18243b) western blot analysis in mouse bladder tissue lysates (35ug/lane). This demonstrates the PGM2L1 antibody detected the PGM2L1 protein (arrow).

PGM2L1 Antibody (C-term) - Background

Glucose 1,6-bisphosphate synthase using 1,3-bisphosphoglycerate as a phosphate donor and a series of 1-phosphate sugars as acceptors, including glucose 1-phosphate, mannose 1-phosphate, ribose 1-phosphate and deoxyribose 1-phosphate. 5 or 6-phosphosugars are bad substrates, with the exception of glucose 6-phosphate. Also synthesizes ribose 1,5-bisphosphate. Has only low phosphopentomutase and phosphoglucomutase activities.

PGM2L1 Antibody (C-term) - References

Maliekal, P., et al. J. Biol. Chem. 282(44):31844-31851(2007) Sugiyama, N., et al. Mol. Cell Proteomics 6(6):1103-1109(2007) Olsen, J.V., et al. Cell 127(3):635-648(2006)



Wistow, G., et al. Mol. Vis. 8, 205-220 (2002) :