

# NPBWR1 Antibody (C-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP18352b

## **Specification**

# NPBWR1 Antibody (C-term) - Product Information

**Application** WB.E **Primary Accession** P48145 NP 005276.2 Other Accession Reactivity Human Host **Rabbit** Clonality **Polyclonal** Isotype Rabbit IgG Calculated MW 36103 Antigen Region 221-250

## NPBWR1 Antibody (C-term) - Additional Information

#### **Gene ID 2831**

### **Other Names**

Neuropeptides B/W receptor type 1, G-protein coupled receptor 7, NPBWR1, GPR7

### Target/Specificity

This NPBWR1 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 221-250 amino acids from the C-terminal region of human NPBWR1.

### **Dilution**

WB~~1:1000

# **Format**

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

### Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

#### **Precautions**

NPBWR1 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

# NPBWR1 Antibody (C-term) - Protein Information

# Name NPBWR1

**Synonyms** GPR7



Tel: 858.875.1900 Fax: 858.875.1999

Function Interacts specifically with a number of opioid ligands. Receptor for neuropeptides B and W, which may be involved in neuroendocrine system regulation, food intake and the organization of other signals. Has a higher affinity for neuropeptide B.

#### **Cellular Location**

Cell membrane; Multi-pass membrane protein.

#### **Tissue Location**


Found in cerebellum and frontal cortex. Detected at high levels in hippocampus, amygdala and trachea; at moderate levels in fetal brain, pituitary gland and prostate. Not in caudate, accumbens, kidney or liver. Also detected at high levels in lung carcinoma

# NPBWR1 Antibody (C-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

# NPBWR1 Antibody (C-term) - Images




NPBWR1 Antibody (C-term) (Cat. #AP18352b) western blot analysis in NCI-H292 cell line lysates (35ug/lane). This demonstrates the NPBWR1 Antibody detected the NPBWR1 protein (arrow).

# NPBWR1 Antibody (C-term) - Background

NPBWR1 interacts specifically with a number of opioid ligands. Receptor for neuropeptides B and W, which may be involved in neuroendocrine system regulation, food intake and the organization of other signals. Has a higher affinity for neuropeptide B.

## NPBWR1 Antibody (C-term) - References

Luttrell, L.M. Mol. Biotechnol. 39(3):239-264(2008)





Lambert, N.A. Sci Signal 1 (25), RE5 (2008):
Cottrell, S., et al. J. Urol. 177(5):1753-1758(2007)
Mazzocchi, G., et al. J. Clin. Endocrinol. Metab. 90(6):3466-3471(2005)
Zaratin, P.F., et al. Mol. Cell. Neurosci. 28(1):55-63(2005)