

#### SFMBT1 Antibody (N-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP18430A

#### Specification

## SFMBT1 Antibody (N-term) - Product Information

Application WB,E **Primary Accession O9UHI3** NP 00100<u>5158.1</u> Other Accession Reactivity Human Host Rabbit Clonality Polyclonal Isotype Rabbit IgG Calculated MW 98141 Antigen Region 20-47

#### SFMBT1 Antibody (N-term) - Additional Information

Gene ID 51460

**Other Names** Scm-like with four MBT domains protein 1, hSFMBT, Renal ubiquitous protein 1, SFMBT1, RU1

**Target/Specificity** This SFMBT1 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 20-47 amino acids from the N-terminal region of human SFMBT1.

Dilution WB~~1:1000

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

SFMBT1 Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

#### SFMBT1 Antibody (N-term) - Protein Information

Name SFMBT1

Synonyms RU1



**Function** Histone-binding protein, which is part of various corepressor complexes. Mediates the recruitment of corepressor complexes to target genes, followed by chromatin compaction and repression of transcription. Plays a role during myogenesis: required for the maintenance of undifferentiated states of myogenic progenitor cells via interaction with MYOD1. Interaction with MYOD1 leads to the recruitment of associated corepressors and silencing of MYOD1 target genes. Part of the SLC complex in germ cells, where it may play a role during spermatogenesis.

Cellular Location Nucleus.


**Tissue Location** Expressed in all cell lines and normal tissues tested, including the thymus.

### SFMBT1 Antibody (N-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

## SFMBT1 Antibody (N-term) - Images



SFMBT1 Antibody (N-term) (Cat. #AP18430a) western blot analysis in 293 cell line lysates (35ug/lane).This demonstrates the SFMBT1 Antibody detected the SFMBT1 protein (arrow).

## SFMBT1 Antibody (N-term) - Background

This gene shares high similarity with the Drosophila Scm (sex comb on midleg) gene. It encodes a protein which contains four malignant brain tumor repeat (mbt) domains and may be involved in antigen recognition. Several alternative splice variants that encode the same protein have been characterized. [provided by RefSeq].



# SFMBT1 Antibody (N-term) - References

Wu, S., et al. FEBS Lett. 581(17):3289-3296(2007)