

**ZSWIM2 Antibody (C-term)**  
**Affinity Purified Rabbit Polyclonal Antibody (Pab)**  
**Catalog # AP18497b****Specification**

---

**ZSWIM2 Antibody (C-term) - Product Information**

|                   |                             |
|-------------------|-----------------------------|
| Application       | WB,E                        |
| Primary Accession | <a href="#">Q8NEG5</a>      |
| Other Accession   | <a href="#">NP_872327.2</a> |
| Reactivity        | Human                       |
| Host              | Rabbit                      |
| Clonality         | Polyclonal                  |
| Isotype           | Rabbit IgG                  |
| Calculated MW     | 72732                       |
| Antigen Region    | 435-462                     |

**ZSWIM2 Antibody (C-term) - Additional Information****Gene ID** 151112**Other Names**

E3 ubiquitin-protein ligase ZSWIM2, 632-, MEKK1-related protein X, MEX, ZZ-type zinc finger-containing protein 2, Zinc finger SWIM domain-containing protein 2, ZSWIM2, ZZZ2

**Target/Specificity**

This ZSWIM2 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 435-462 amino acids from the C-terminal region of human ZSWIM2.

**Dilution**

WB~~1:1000

**Format**

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

**Storage**

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

**Precautions**

ZSWIM2 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

**ZSWIM2 Antibody (C-term) - Protein Information****Name** ZSWIM2 ([HGNC:30990](#))**Synonyms** ZZZ2

**Function** E3 ubiquitin-protein ligase involved in the regulation of Fas-, DR3- and DR4-mediated apoptosis. Functions in conjunction with the UBE2D1, UBE2D3 and UBE2E1 E2 ubiquitin-conjugating enzymes.

**Tissue Location**


Expression is testis-specific.

**ZSWIM2 Antibody (C-term) - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

**ZSWIM2 Antibody (C-term) - Images**



ZSWIM2 Antibody (C-term) (Cat. #AP18497b) western blot analysis in A375 cell line lysates (35ug/lane). This demonstrates the ZSWIM2 antibody detected the ZSWIM2 protein (arrow).

**ZSWIM2 Antibody (C-term) - Background**

E3 ubiquitin-protein ligase involved in the regulation of Fas-, DR3- and DR4-mediated apoptosis. Functions in conjunction with the UBE2D1, UBE2D3 and UBE2E1 E2 ubiquitin-conjugating enzymes (By similarity).

**ZSWIM2 Antibody (C-term) - References**

Rose, J.E., et al. Mol. Med. 16 (7-8), 247-253 (2010) :  
Yoshida, T., et al. Int. J. Mol. Med. 25(4):649-656(2010)  
Oguri, M., et al. Am. J. Hypertens. 23(1):70-77(2010)  
Nishito, Y., et al. Biochem. J. 396(3):411-417(2006)