10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

BRP16 Antibody (Center)

Affinity Purified Rabbit Polyclonal Antibody (Pab)

Catalog # AP18500c

Specification

BRP16 Antibody (Center) - Product Information

Application	**WB,E**
Primary Accession	Q9BTY7
Other Accession	P0CB43, NP_057542.2
Reactivity	**Human, Mouse**
Host	**Rabbit**
Clonality	**Polyclonal**
Isotype	**Rabbit IgG**
Calculated MW	**42129**
Antigen Region	**254-280**

BRP16 Antibody (Center) - Additional Information

Gene ID 51236

Other Names
Protein HGH1 homolog, HGH1, C8orf30A, C8orf30B, FAM203A, FAM203B

Target/Specificity
This BRP16 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 254-280 amino acids from the Central region of human BRP16.

Dilution
WB~~1:1000

Format
Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage
Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions
BRP16 Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

BRP16 Antibody (Center) - Protein Information

Name HGH1

Synonyms C8orf30A, C8orf30B, FAM203A, FAM203B


10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

BRP16 Antibody (Center) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

BRP16 Antibody (Center) - Images



BRP16 Antibody (Center) (Cat. #AP18500c) western blot analysis in mouse kidney tissue lysates (35ug/lane).This demonstrates the BRP16 antibody detected the BRP16 protein (arrow).



Anti-BRP16 Antibody (Center) at 1:1000 dilution + ZR-75-1 whole cell lysate Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 42 kDa Blocking/Dilution buffer: 5% NFDM/TBST.

BRP16 Antibody (Center) - Background

10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

The function of this protein remains unknown.

BRP16 Antibody (Center) - References

Stelzl, U., et al. Cell 122(6):957-968(2005)