

AEBP2 Antibody (C-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP18656b

Specification

AEBP2 Antibody (C-term) - Product Information

Application WB,E
Primary Accession O6ZN18

Other Accession <u>A4FV57</u>, <u>NP_001107648.1</u>

Reactivity
Predicted
Bovine
Host
Clonality
Polyclonal
Isotype
Calculated MW
Antigen Region
Human
Bovine
Rabbit
Polyclonal
Rabbit IgG
482-508

AEBP2 Antibody (C-term) - Additional Information

Gene ID 121536

Other Names

Zinc finger protein AEBP2, Adipocyte enhancer-binding protein 2, AE-binding protein 2, AEBP2

Target/Specificity

This AEBP2 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 482-508 amino acids from the C-terminal region of human AEBP2.

Dilution

WB~~1:1000

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

AEBP2 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

AEBP2 Antibody (C-term) - Protein Information

Name AEBP2

Function Acts as an accessory subunit for the core Polycomb repressive complex 2 (PRC2), which



mediates histone H3K27 (H3K27me3) trimethylation on chromatin leading to transcriptional repression of the affected target gene (PubMed: 15225548, PubMed: 31959557, PubMed: 29499137). Plays a role in nucleosome localization of the PRC2 complex (PubMed: 29499137).

Cellular Location


Nucleus. Note=Localizes to chromatin as part of the PRC2 complex

AEBP2 Antibody (C-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

AEBP2 Antibody (C-term) - Images



AEBP2 Antibody (C-term) (Cat. #AP18656b) western blot analysis in HepG2 cell line lysates (35ug/lane). This demonstrates the AEBP2 antibody detected the AEBP2 protein (arrow).

AEBP2 Antibody (C-term) - Background

DNA-binding transcriptional repressor. AEBP2 may interact with and stimulate the activity of the PRC2 complex, which methylates 'Lys-9' and 'Lys-27' residues of histone H3.

AEBP2 Antibody (C-term) - References

Cao, R., et al. Mol. Cell 15(1):57-67(2004) He, G.P., et al. J. Biol. Chem. 274(21):14678-14684(1999)