

MRPL11 Antibody (N-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP19151a

Specification

MRPL11 Antibody (N-term) - Product Information

Application WB,E **Primary Accession** O9Y3B7 Other Accession NP 057134.1 Reactivity Human Host **Rabbit** Clonality **Polyclonal** Isotype Rabbit IgG Calculated MW 20683 Antigen Region 36-62

MRPL11 Antibody (N-term) - Additional Information

Gene ID 65003

Other Names

39S ribosomal protein L11, mitochondrial, L11mt, MRP-L11, MRPL11

Target/Specificity

This MRPL11 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 36-62 amino acids from the N-terminal region of human MRPL11.

Dilution

WB~~1:1000

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

MRPL11 Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

MRPL11 Antibody (N-term) - Protein Information

Name MRPL11

Cellular LocationMitochondrion




MRPL11 Antibody (N-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

MRPL11 Antibody (N-term) - Images




MRPL11 Antibody (N-term) (Cat. #AP19151a) western blot analysis in A549 cell line lysates (35ug/lane). This demonstrates the MRPL11 antibody detected the MRPL11 protein (arrow).

MRPL11 Antibody (N-term) - Background

Mammalian mitochondrial ribosomal proteins are encoded by nuclear genes and help in protein synthesis within the mitochondrion. Mitochondrial ribosomes (mitoribosomes) consist of a small 28S subunit and a large 39S subunit. They have an estimated 75% protein to rRNA composition compared to prokaryotic ribosomes, where this ratio is reversed. Another difference between mammalian mitoribosomes and prokaryotic ribosomes is that the latter contain a 5S rRNA. Among different species, the proteins comprising the mitoribosome differ greatly in sequence, and sometimes in biochemical properties, which prevents easy recognition by sequence homology. This gene encodes a 39S subunit protein. Sequence analysis identified three transcript variants that encode different isoforms. Pseudogenes corresponding to this gene are found on chromosomes 5q and 12q.

MRPL11 Antibody (N-term) - References

Dai, M.S., et al. Cell Cycle 6(22):2735-2741(2007) Sun, X.X., et al. J. Biol. Chem. 282(11):8052-8059(2007) Wang, A.G., et al. Biochem. Biophys. Res. Commun. 345(3):1022-1032(2006)





Oh, J.H., et al. Mamm. Genome 16(12):942-954(2005) Voronina, E.N., et al. Mol. Biol. (Mosk.) 37(3):425-435(2003)