

**MRPL19 Antibody (N-term)**  
**Affinity Purified Rabbit Polyclonal Antibody (Pab)**  
**Catalog # AP19296a****Specification**

---

**MRPL19 Antibody (N-term) - Product Information**

Application	WB,E
Primary Accession	<a href="#">P49406</a>
Other Accession	<a href="#">NP_055578.2</a>
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	33535
Antigen Region	49-76

**MRPL19 Antibody (N-term) - Additional Information****Gene ID** 9801**Other Names**

39S ribosomal protein L19, mitochondrial, L19mt, MRP-L19, 39S ribosomal protein L15, mitochondrial, L15mt, MRP-L15, MRPL19, KIAA0104, MRPL15

**Target/Specificity**

This MRPL19 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 49-76 amino acids from the N-terminal region of human MRPL19.

**Dilution**

WB~~1:1000

**Format**

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

**Storage**

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

**Precautions**


MRPL19 Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

**MRPL19 Antibody (N-term) - Protein Information****Name** MRPL19**Synonyms** KIAA0104, MRPL15

**Cellular Location**  
Mitochondrion**MRPL19 Antibody (N-term) - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

**MRPL19 Antibody (N-term) - Images**

MRPL19 Antibody (N-term)(Cat. #AP19296a) western blot analysis in Ramos cell line lysates (35ug/lane). This demonstrates the MRPL19 antibody detected the MRPL19 protein (arrow).

**MRPL19 Antibody (N-term) - Background**

Mammalian mitochondrial ribosomal proteins are encoded by nuclear genes and help in protein synthesis within the mitochondrion. Mitochondrial ribosomes (mitoribosomes) consist of a small 28S subunit and a large 39S subunit. They have an estimated 75% protein to rRNA composition compared to prokaryotic ribosomes, where this ratio is reversed. Another difference between mammalian mitoribosomes and prokaryotic ribosomes is that the latter contain a 5S rRNA. Among different species, the proteins comprising the mitoribosome differ greatly in sequence, and sometimes in biochemical properties, which prevents easy recognition by sequence homology. This gene encodes a 39S subunit protein. [provided by RefSeq].

**MRPL19 Antibody (N-term) - References**

Rose, J.E., et al. Mol. Med. 16 (7-8), 247-253 (2010) :  
Anthoni, H., et al. Hum. Mol. Genet. 16(6):667-677(2007)

Hillier, L.W., et al. Nature 434(7034):724-731(2005)  
Zhang, Z., et al. Genomics 81(5):468-480(2003)  
Kenmochi, N., et al. Genomics 77 (1-2), 65-70 (2001) :