

## EPS8L2 Antibody(N-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP19537A

### **Specification**

#### EPS8L2 Antibody(N-term) - Product Information

Application WB,E
Primary Accession Q9H6S3

Other Accession <u>Q99K30</u>, <u>NP 073609.2</u>

Reactivity
Predicted
Host
Clonality
Isotype
Calculated MW
Antigen Region
Human
Mouse
Rabbit
Polyclonal
Rabbit IgG
Rabbit IgG
162-190

# EPS8L2 Antibody(N-term) - Additional Information

### **Gene ID 64787**

#### **Other Names**

Epidermal growth factor receptor kinase substrate 8-like protein 2, EPS8-like protein 2, Epidermal growth factor receptor pathway substrate 8-related protein 2, EPS8-related protein 2, EPS8L2, EPS8R2

### Target/Specificity

This EPS8L2 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 162-190 amino acids from the N-terminal region of human EPS8L2.

# **Dilution**

WB~~1:1000

## **Format**

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

#### Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

#### **Precautions**

EPS8L2 Antibody(N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

### EPS8L2 Antibody(N-term) - Protein Information

## Name EPS8L2



## Synonyms EPS8R2

**Function** Stimulates guanine exchange activity of SOS1. May play a role in membrane ruffling and remodeling of the actin cytoskeleton. In the cochlea, is required for stereocilia maintenance in adult hair cells (By similarity).

#### **Cellular Location**

Cytoplasm. Cell projection, stereocilium {ECO:0000250|UniProtKB:Q99K30}. Note=Localizes at the tips of the stereocilia of the inner and outer hair cells {ECO:0000250|UniProtKB:Q99K30}

#### **Tissue Location**


Detected in fibroblasts and placenta.

### EPS8L2 Antibody(N-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

# EPS8L2 Antibody(N-term) - Images




EPS8L2 Antibody (N-term) (Cat. #AP19537a) western blot analysis in A431 cell line lysates (35ug/lane). This demonstrates the EPS8L2 antibody detected the EPS8L2 protein (arrow).

### EPS8L2 Antibody(N-term) - Background

This gene encodes a member of the EPS8 gene family. The encoded protein, like other members of the family, is thought to link growth factor stimulation to actin organization, generating functional redundancy in the pathways that regulate actin cytoskeletal remodeling.

### EPS8L2 Antibody(N-term) - References





Kim, J.E., et al. J. Proteome Res. 4(4):1339-1346(2005) Offenhauser, N., et al. Mol. Biol. Cell 15(1):91-98(2004) Tocchetti, A., et al. Genomics 81(2):234-244(2003)