

OR6S1 Antibody(C-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP19721b

Specification

OR6S1 Antibody(C-term) - Product Information

Application	WB,E
Primary Accession	<u>Q8NH40</u>
Other Accession	<u>NP_001001968.1</u>
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	36127
Antigen Region	281-310

OR6S1 Antibody(C-term) - Additional Information

Gene ID 341799

Other Names Olfactory receptor 6S1, Olfactory receptor OR14-37, OR6S1

Target/Specificity This OR6S1 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 281-310 amino acids from the C-terminal region of human OR6S1.

Dilution WB~~1:1000

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions OR6S1 Antibody(C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

OR6S1 Antibody(C-term) - Protein Information

Name OR6S1

Function Odorant receptor.



Cellular Location


Cell membrane; Multi-pass membrane protein.

OR6S1 Antibody(C-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

OR6S1 Antibody(C-term) - Images



OR6S1 Antibody (C-term) (Cat. #AP19721b) western blot analysis in human Uterus tissue lysates (35ug/lane).This demonstrates the OR6S1 antibody detected the OR6S1 protein (arrow).

OR6S1 Antibody(C-term) - Background

Olfactory receptors interact with odorant molecules in the nose, to initiate a neuronal response that triggers the perception of a smell. The olfactory receptor proteins are members of a large family of G-protein-coupled receptors (GPCR) arising from single coding-exon genes. Olfactory receptors share a 7-transmembrane domain structure with many neurotransmitter and hormone receptors and are responsible for the recognition and G protein-mediated transduction of odorant signals. The olfactory receptor gene family is the largest in the genome. The nomenclature assigned to the olfactory receptor genes and proteins for this organism is independent of other organisms.

OR6S1 Antibody(C-term) - References

Malnic, B., et al. Proc. Natl. Acad. Sci. U.S.A. 101(8):2584-2589(2004)