

**ENPP3 Antibody(C-term)**  
**Affinity Purified Rabbit Polyclonal Antibody (Pab)**  
**Catalog # AP19749b****Specification**

---

**ENPP3 Antibody(C-term) - Product Information**

Application	WB,E
Primary Accession	<a href="#">O14638</a>
Other Accession	<a href="#">NP_005012.2</a>
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	100124
Antigen Region	814-843

**ENPP3 Antibody(C-term) - Additional Information****Gene ID** 5169**Other Names**

Ectonucleotide pyrophosphatase/phosphodiesterase family member 3, E-NPP 3, Phosphodiesterase I beta, PD-Ibeta, Phosphodiesterase I/nucleotide pyrophosphatase 3, CD203c, Alkaline phosphodiesterase I, Nucleotide pyrophosphatase, NPPase, ENPP3, PDNP3

**Target/Specificity**

This ENPP3 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 814-843 amino acids from the C-terminal region of human ENPP3.

**Dilution**

WB~~1:1000

**Format**

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

**Storage**

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

**Precautions**

ENPP3 Antibody(C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

**ENPP3 Antibody(C-term) - Protein Information****Name** ENPP3

**Synonyms** PDNP3 {ECO:0000303|PubMed:9344668}

**Function** Hydrolase that metabolizes extracellular nucleotides, including ATP, GTP, UTP and CTP (PubMed:[29717535](#)). Limits mast cell and basophil responses during inflammation and during the chronic phases of allergic responses by eliminating the extracellular ATP that functions as signaling molecule and activates basophils and mast cells and induces the release of inflammatory cytokines. Metabolizes extracellular ATP in the lumen of the small intestine, and thereby prevents ATP-induced apoptosis of intestinal plasmacytoid dendritic cells (By similarity). Has also alkaline phosphodiesterase activity (PubMed:[11342463](#)).

#### **Cellular Location**

Cell membrane; Single-pass type II membrane protein. Apical cell membrane; Single-pass type II membrane protein. Secreted Note=Detected at the cell surface of basophils (PubMed:11342463) Detected at the apical plasma membrane of bile duct cells (PubMed:15072822). Located to the apical surface in intestinal and kidney epithelial cells. Secreted in serum, and in lumen of epithelial cells.

#### **Tissue Location**


Detected on bile ducts in liver, and in blood serum (at protein level) (PubMed:15072822). Detected in prostate and uterus (PubMed:9344668). Detected on basophils, but not neutrophils (PubMed:11342463).

### **ENPP3 Antibody(C-term) - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

### **ENPP3 Antibody(C-term) - Images**



ENPP3 Antibody (C-term) (Cat. #AP19749b) western blot analysis in MDA-MB453 cell line lysates (35ug/lane). This demonstrates the ENPP3 antibody detected the ENPP3 protein (arrow).

**ENPP3 Antibody(C-term) - Background**

The protein encoded by this gene belongs to a series of ectoenzymes that are involved in hydrolysis of extracellular nucleotides. These ectoenzymes possess ATPase and ATP pyrophosphatase activities and are type II transmembrane proteins. Expression of the related rat mRNA has been found in a subset of immature glial cells and in the alimentary tract. The corresponding rat protein has been detected in the pancreas, small intestine, colon, and liver. The human mRNA is expressed in glioma cells, prostate, and uterus. Expression of the human protein has been detected in uterus, basophils, and mast cells. [provided by RefSeq].

**ENPP3 Antibody(C-term) - References**

Rose, J.E., et al. Mol. Med. 16 (7-8), 247-253 (2010) :  
Ono, E., et al. J. Allergy Clin. Immunol. 125(2):483-489(2010)  
Wolanczyk-Medrała, A., et al. Ann Agric Environ Med 16(2):301-304(2009)  
Chirumbolo, S., et al. Inflamm. Res. 58(11):755-764(2009)  
Ocmant, A., et al. J. Immunol. Methods 320 (1-2), 40-48 (2007) :