10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

RBMY1A1 Antibody(C-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP19859b

Specification

RBMY1A1 Antibody(C-term) - Product Information

Application	**WB,E**
Primary Accession	P0DJD3
Other Accession	Q15415, A6NEQ0, P0C7P1, P0DJD4, A6NDE4, Q15414, NP_005049.1
Reactivity	**Human**
Host	**Rabbit**
Clonality	**Polyclonal**
Isotype	**Rabbit IgG**
Calculated MW	**55784**
Antigen Region	**468-496**

RBMY1A1 Antibody(C-term) - Additional Information

Gene ID 5940

Other Names
RNA-binding motif protein, Y chromosome, family 1 member A1, RNA-binding motif protein 1, RNA-binding motif protein 2, Y chromosome RNA recognition motif 1, hRBMY, RBMY1A1, RBM1, RBM2, YRRM1, YRRM2

Target/Specificity
This RBMY1A1 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 468-496 amino acids from the C-terminal region of human RBMY1A1.

Dilution
WB~~1:1000

Format
Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage
Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions
RBMY1A1 Antibody(C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

RBMY1A1 Antibody(C-term) - Protein Information

Name RBMY1A1

Synonyms RBM1, RBM2, YRRM1, YRRM2

Function RNA-binding protein involved in pre-mRNA splicing. Required for sperm development. Acts additively with TRA2B to promote exon 7 inclusion of the survival motor neuron SMN. Binds non-specifically to mRNAs.

Cellular Location
Nucleus.

Tissue Location
Testis-specific..

RBMY1A1 Antibody(C-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

RBMY1A1 Antibody(C-term) - Images



RBMY1A1 Antibody (C-term) (Cat. #AP19859b) western blot analysis in NCI-H292 cell line lysates (35ug/lane).This demonstrates the RBMY1A1 antibody detected the RBMY1A1 protein (arrow).

RBMY1A1 Antibody(C-term) - Background

This gene encodes a protein containing an RNA-binding motif in the N-terminus and four SRGY (serine, arginine, glycine, tyrosine) boxes in the C-terminus. Multiple copies of this gene are found in the AZFb azoospermia factor region of chromosome Y and the encoded protein is thought to be involved in spermatogenesis. Most copies of this locus are pseudogenes, although six highly similar copies have full-length ORFs and are considered functional. Four functional copies of this gene are found within inverted repeat

IR2; two functional copies of this gene are found in palindrome P3, along with two copies of PTPN13-like, Y-linked. [provided by RefSeq].

RBMY1A1 Antibody(C-term) - References

Dreumont, N., et al. J. Cell. Sci. 123 (PT 1), 40-50 (2010) :
Liu, Y., et al. PLoS Genet. 5 (11), E1000707 (2009) :
Lardone, M.C., et al. Mol. Hum. Reprod. 13(10):705-712(2007)
Skrisovska, L., et al. EMBO Rep. 8(4):372-379(2007)
Lavery, R., et al. Arch. Androl. 53(2):71-73(2007)