

CASR Antibody (Center)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP20157c**Specification**

CASR Antibody (Center) - Product Information

Application	WB,E
Primary Accession	P41180
Other Accession	P48442 , Q9QY96 , P35384 , NP_000379.2 , O62714
Reactivity	Mouse
Predicted	Bovine, Pig, Rat
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Antigen Region	260-287

CASR Antibody (Center) - Additional Information**Gene ID** 846**Other Names**

Extracellular calcium-sensing receptor, CaSR, Parathyroid cell calcium-sensing receptor 1, PCaR1, CASR, GPRC2A, PCAR1

Target/Specificity

This CASR antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 260-287 amino acids from the Central region of human CASR.

Dilution

WB~~1:1000

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

CASR Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

CASR Antibody (Center) - Protein Information**Name** CASR ([HGNC:1514](#))

Function G-protein-coupled receptor that senses changes in the extracellular concentration of calcium ions and plays a key role in maintaining calcium homeostasis (PubMed:[7759551](#), PubMed:[8702647](#), PubMed:[8636323](#), PubMed:[8878438](#), PubMed:[17555508](#), PubMed:[19789209](#), PubMed:[21566075](#), PubMed:[22114145](#), PubMed:[23966241](#), PubMed:[25292184](#), PubMed:[25104082](#), PubMed:[26386835](#), PubMed:[25766501](#), PubMed:[22789683](#)). Senses fluctuations in the circulating calcium concentration and modulates the production of parathyroid hormone (PTH) in parathyroid glands (By similarity). The activity of this receptor is mediated by a G-protein that activates a phosphatidylinositol-calcium second messenger system (PubMed:[7759551](#)). The G-protein-coupled receptor activity is activated by a co-agonist mechanism: aromatic amino acids, such as Trp or Phe, act concertedly with divalent cations, such as calcium or magnesium, to achieve full receptor activation (PubMed:[27434672](#), PubMed:[27386547](#)).

Cellular Location

Cell membrane; Multi-pass membrane protein

Tissue Location


Expressed in the temporal lobe, frontal lobe, parietal lobe, hippocampus, and cerebellum. Also found in kidney, lung, liver, heart, skeletal muscle, placenta.

CASR Antibody (Center) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

CASR Antibody (Center) - Images



CASR Antibody (Center) (Cat. #AP20157c) western blot analysis in mouse kidney tissue lysates (35ug/lane). This demonstrates the CASR antibody detected the CASR protein (arrow).

CASR Antibody (Center) - Background

The protein encoded by this gene is a G protein-coupled receptor that is expressed in the parathyroid hormone (PTH)-producing chief cells of the parathyroid gland, and the cells lining the kidney tubule. It senses small changes in circulating calcium concentration and couples this information to intracellular signaling pathways that modify PTH secretion or renal cation handling, thus this protein plays an essential role in maintaining mineral ion homeostasis. Mutations in this gene cause familial hypocalciuric hypercalcemia, familial, isolated hypoparathyroidism, and neonatal severe primary hyperparathyroidism. [provided by RefSeq].

CASR Antibody (Center) - References

O'Seaghdha, C.M., et al. Hum. Mol. Genet. 19(21):4296-4303(2010)
Giroux, S., et al. Bone 47(5):975-981(2010)
Letz, S., et al. J. Clin. Endocrinol. Metab. 95 (10), E229-E233 (2010) :
Rey, O., et al. J. Cell. Physiol. 225(1):73-83(2010)
Kapur, K., et al. PLoS Genet. 6 (7), E1001035 (2010) :