

ZBTB8A Antibody (Center)
Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP20355c

Specification

ZBTB8A Antibody (Center) - Product Information

Application	WB,E
Primary Accession	Q96BR9
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	Rabbit IgG
Calculated MW	50155
Antigen Region	205-232

ZBTB8A Antibody (Center) - Additional Information

Gene ID 653121

Other Names

Zinc finger and BTB domain-containing protein 8A, BTB/POZ and zinc-finger domain-containing factor, BTB/POZ and zinc-finger domains factor on chromosome 1, BOZ-F1, ZBTB8A, BOZF1

Target/Specificity

This ZBTB8A antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 205-232 amino acids from the Central region of human ZBTB8A.

Dilution

WB~~1:1000

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

ZBTB8A Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

ZBTB8A Antibody (Center) - Protein Information

Name ZBTB8A

Synonyms BOZF1

Function May be involved in transcriptional regulation.


Cellular Location
Nucleus.

ZBTB8A Antibody (Center) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ZBTB8A Antibody (Center) - Images



Anti-ZBTB8A Antibody (Center) at 1:1000 dilution + MDA-MB-453 whole cell lysate
Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated
at 1/10000 dilution. Predicted band size : 50 kDa Blocking/Dilution buffer: 5% NFDM/TBST.

ZBTB8A Antibody (Center) - Background

May be involved in transcriptional regulation.