10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

IFNA8 Antibody (C-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP20403b

Specification

IFNA8 Antibody (C-term) - Product Information

Application	**WB,E**
Primary Accession	P32881
Reactivity	**Human**
Host	**Rabbit**
Clonality	**Polyclonal**
Isotype	**Rabbit IgG**
Calculated MW	**21989**
Antigen Region	**163-189**

IFNA8 Antibody (C-term) - Additional Information

Gene ID 3445

Other Names
Interferon alpha-8, IFN-alpha-8, Interferon alpha-B, LeIF B, Interferon alpha-B2, IFNA8

Target/Specificity
This IFNA8 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 163-189 amino acids from the C-terminal region of human IFNA8.

Dilution
WB~~1:4000

Format
Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage
Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions
IFNA8 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

IFNA8 Antibody (C-term) - Protein Information

Name IFNA8

Function Produced by macrophages, IFN-alpha have antiviral activities. Interferon stimulates the production of two enzymes: a protein kinase and an oligoadenylate synthetase.

10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

Cellular Location
Secreted.

IFNA8 Antibody (C-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

IFNA8 Antibody (C-term) - Images



Anti-IFNA8 Antibody (C-term) at 1:4000 dilution + NCI-H292 whole cell lysate Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 22 kDa Blocking/Dilution buffer: 5% NFDM/TBST.

IFNA8 Antibody (C-term) - Background

Produced by macrophages, IFN-alpha have antiviral activities. Interferon stimulates the production of two enzymes: a protein kinase and an oligoadenylate synthetase.