

# **ZNF423 Antibody (Center)**

Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP20776c

## **Specification**

# **ZNF423 Antibody (Center) - Product Information**

Application WB,E
Primary Accession Q2M1K9

Other Accession <u>008961</u>, <u>080TS5</u>

Reactivity
Predicted
Host
Clonality
Isotype
Calculated MW
Human
Mouse, Rat
Rabbit
Polyclonal
Rabbit IgG
144605

## ZNF423 Antibody (Center) - Additional Information

#### Gene ID 23090

#### **Other Names**

Zinc finger protein 423, Olf1/EBF-associated zinc finger protein, hOAZ, Smad- and Olf-interacting zinc finger protein, ZNF423, KIAA0760, NPHP14, OAZ

#### Target/Specificity

This ZNF423 antibody is generated from a rabbit immunized with a KLH conjugated synthetic peptide between 864-897 amino acids from the Central region of human ZNF423.

### **Dilution**

WB~~1:1000

#### **Format**

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

#### Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

# **Precautions**

ZNF423 Antibody (Center) is for research use only and not for use in diagnostic or therapeutic procedures.

## **ZNF423 Antibody (Center) - Protein Information**

Name ZNF423

Synonyms KIAA0760, NPHP14, OAZ



**Function** Transcription factor that can both act as an activator or a repressor depending on the context. Plays a central role in BMP signaling and olfactory neurogenesis. Associates with SMADs in response to BMP2 leading to activate transcription of BMP target genes. Acts as a transcriptional repressor via its interaction with EBF1, a transcription factor involved in terminal olfactory receptor neurons differentiation; this interaction preventing EBF1 to bind DNA and activate olfactory-specific genes. Involved in olfactory neurogenesis by participating in a developmental switch that regulates the transition from differentiation to maturation in olfactory receptor neurons. Controls proliferation and differentiation of neural precursors in cerebellar vermis formation.

# **Cellular Location** Nucleus.

#### **Tissue Location**


Expressed in brain, lung, skeletal muscle, heart, pancreas and kidney but not liver or placenta. Also expressed in aorta, ovary, pituitary, small intestine, fetal brain, fetal kidney and, within the adult brain, in the substantia nigra, medulla, amygdala, thalamus and cerebellum.

# **ZNF423 Antibody (Center) - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- <u>Immunofluorescence</u>
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

# ZNF423 Antibody (Center) - Images



Western blot analysis of lysate from human brain tissue lysate, using ZNF423 Antibody (Center)(Cat. #AP20776c). AP20776c was diluted at 1:1000. A goat anti-rabbit IgG H&L(HRP) at 1:5000 dilution was used as the secondary antibody. Lysate at 35ug.

# ZNF423 Antibody (Center) - Background





Tel: 858.875.1900 Fax: 858.875.1999

Transcription factor that can both act as an activator or a repressor depending on the context. Plays a central role in BMP signaling and olfactory neurogenesis. Associates with SMADs in response to BMP2 leading to activate transcription of BMP target genes. Acts as a transcriptional repressor via its interaction with EBF1, a transcription factor involved in terminal olfactory receptor neurons differentiation; this interaction preventing EBF1 to bind DNA and activate olfactory-specific genes. Involved in olfactory neurogenesis by participating in a developmental switch that regulates the transition from differentiation to maturation in olfactory receptor neurons. Controls proliferation and differentiation of neural precursors in cerebellar vermis formation.

# **ZNF423 Antibody (Center) - References**

Hata A., et al. Cell 100:229-240(2000). Nagase T., et al. DNA Res. 5:277-286(1998). Nakajima D., et al. DNA Res. 9:99-106(2002). Rigbolt K.T., et al. Sci. Signal. 4:RS3-RS3(2011). Chaki M., et al. Cell 150:533-548(2012).